

## Development Environment

Package	Version	Location
Xcode	3.x	<a href="http://developer.apple.com/tools/xcode">http://developer.apple.com/tools/xcode</a>
gcc	4.x	<a href="http://gcc.gnu.org/">http://gcc.gnu.org/</a>
bash	3.2	<a href="http://www.gnu.org/software/bash/">http://www.gnu.org/software/bash/</a>
make	3.81	<a href="http://www.gnu.org/software/make/">http://www.gnu.org/software/make/</a>

## Module

The following table lists the functional Open Source modules used by Sagem Communications SAS into Version 1.0 of Low-End Multi-functions.

Package	Version	Location
GhostScript	8.64	<a href="http://www.ghostscript.com/">http://www.ghostscript.com/</a>
epm	4.1	<a href="http://www.epmhome.org/">http://www.epmhome.org/</a>
fttk	1.3.0	<a href="http://www.fttk.org/">http://www.fttk.org/</a>
qtcups	2.0	<a href="http://cups.sourceforge.net/qtcups/">http://cups.sourceforge.net/qtcups/</a>
foomatic-filters	4.0.4	<a href="http://www.linuxfoundation.org/collaborate/workgroups/openprinting/databasefoomatic">http://www.linuxfoundation.org/collaborate/workgroups/openprinting/databasefoomatic</a>
PrinterProLL2-1.0-linux-2.4-intel	1.0	<a href="http://opensource.sagemcom.com/">http://opensource.sagemcom.com/</a>

## Sources compilation

### I - Mac OS X:

-----  
1 - Prerequisites:  
XCode 3.x must be installed to compile correctly these sources.

2 - Compilation:  
From a terminal, change the current directory to the directory where the sources were uncompressed and type:  
\$ make

3 - Installation:  
When the compilation is done, a package will be created respectively in the print-gdi, print-pcl6 and scanner directories for each driver. A double click on the package will install it using the package installer of the system.

### II - GNU/Linux :

-----  
1 - Prerequisites:  
Development packages must be installed:

- gcc (c & c++)
- make
- qt development package

The scripts are bash scripts, thus bash must be installed too.

## 2 - Compilation:

From a terminal, change the current directory to the directory where the sources were uncompressed and type:

```
$ make
```

## 3 - Installation:

When the compilation is done, a package will be created respectively in the print-gdi, print-pcl6 and scanner directories for each driver. These are EPM packages check the installation guides from the binary distribution to install them.

# Package Content

sff-sources

```
|-- configure.sh
|-- epm-4.1-linux-print
|  |-- aix.c
|  |-- bsd.c
|  |-- CHANGES
|  |-- config.h
|  |-- config.h.in
|  |-- config.log
|  |-- config.status
|  |-- configure
|  |-- configure.in
|  |-- COPYING
|  |-- deb.c
|  |-- default.xpm
|  |-- dist.c
|  |-- doc
|  |  |-- 1-intro.html
|  |  |-- 2-building.html
|  |  |-- 3-packaging.html
|  |  |-- 4-advanced.html
|  |  |-- 5-examples.html
|  |  |-- a-license.html
|  |  |-- b-manpages.html
|  |  |-- c-reference.html
|  |  |-- d-relnotes.html
|  |  |-- epm-book.book
|  |  |-- epm-book.html
|  |  |-- epminstall.man
|  |  |-- epm.list.man
|  |  |-- epmlogo.gif
|  |  |-- epmlogo.tif
|  |  |-- epm.man
```

```
| | |-- gradient.gif
| | |-- Makefile
| | |-- Makefile.in
| | |-- mantohtml.c
| | |-- mkepmlist.man
| | |-- preface.html
| | |-- setup.man
| | |-- setup.png
| | |-- setup.types.man
| | `-- title.html
|-- epm.c
|-- epm.h
|-- epminstall.c
|-- epm.list
|-- epm.list.in
|-- epmsetup.gif
|-- epmstring.h
|-- file.c
|-- gui-common.cxx
|-- gui-common.h
|-- INSTALL
|-- inst.c
|-- linux-2.4-intel
| |-- epm-4.1-linux-2.4-intel.rpm.tgz
| |-- epm-4.1-linux-2.4-intel.tar.gz
| |-- linux-2.6-intel
| |-- epm-4.1-linux-2.6-intel.rpm.tgz
| |-- epm-4.1-linux-2.6-intel.tar.gz
|-- macosx
| |-- setup128.png
| |-- setup16.png
| |-- setup32.png
| |-- setup48.png
| |-- setup.icns
| |-- setup.info
| |-- setup.xcf.gz
| |-- uninst128.png
| |-- uninst16.png
| |-- uninst32.png
| |-- uninst48.png
| |-- uninst.icns
| |-- uninst.info
| |-- uninst.xcf.gz
|-- Makefile
|-- Makefile.in
|-- mkepmlist.c
|-- osx.c
|-- pkg.c
|-- portable.c
|-- qprintf.c
|-- README
|-- rpm.c
```

```
| |-- run.c
| |-- setld.c
| |-- setup2.cxx
| |-- setup.cxx
| |-- setup.fl
| |-- setup.h
| |-- slackware.c
| |-- snprintf.c
| |-- string.c
| |-- support.c
| |-- swinstall.c
| |-- tar.c
| |-- uninst2.cxx
| |-- uninst.cxx
| |-- uninst.fl
| |-- uninst.h
|-- epm-4.1-linux-scan
| |-- aix.c
| |-- bsd.c
| |-- CHANGES
| |-- config.h
| |-- config.h.in
| |-- config.log
| |-- config.status
| |-- configure
| |-- configure.in
| |-- COPYING
| |-- deb.c
| |-- default.xpm
| |-- dist.c
| |-- doc
| | |-- 1-intro.html
| | |-- 2-building.html
| | |-- 3-packaging.html
| | |-- 4-advanced.html
| | |-- 5-examples.html
| | |-- a-license.html
| | |-- b-manpages.html
| | |-- c-reference.html
| | |-- d-relnotes.html
| | |-- epm-book.book
| | |-- epm-book.html
| | |-- epminstall.man
| | |-- epm.list.man
| | |-- epmlogo.gif
| | |-- epmlogo.tif
| | |-- epm.man
| | |-- gradient.gif
| | |-- Makefile
| | |-- Makefile.in
| | |-- mantohtml.c
| | |-- mkepmlist.man
```

```
| | |-- preface.html
| | |-- setup.man
| | |-- setup.png
| | |-- setup.types.man
| | `-- title.html
|-- epm.c
|-- epm.h
|-- epminstall.c
|-- epm.list
|-- epm.list.in
|-- epmsetup.gif
|-- epmstring.h
|-- file.c
|-- gui-common.cxx
|-- gui-common.h
|-- INSTALL
|-- inst.c
|-- linux-2.4-intel
| | |-- epm-4.1-linux-2.4-intel.rpm.tgz
| | `-- epm-4.1-linux-2.4-intel.tar.gz
|-- linux-2.6-intel
| | |-- epm-4.1-linux-2.6-intel.rpm.tgz
| | `-- epm-4.1-linux-2.6-intel.tar.gz
|-- macosx
| | |-- setup128.png
| | |-- setup16.png
| | |-- setup32.png
| | |-- setup48.png
| | |-- setup.icns
| | |-- setup.info
| | |-- setup.xcf.gz
| | |-- uninst128.png
| | |-- uninst16.png
| | |-- uninst32.png
| | |-- uninst48.png
| | |-- uninst.icns
| | |-- uninst.info
| | `-- uninst.xcf.gz
|-- Makefile
|-- Makefile.in
|-- mkepmlist.c
|-- osx.c
|-- pkg.c
|-- portable.c
|-- qprintf.c
|-- README
|-- rpm.c
|-- run.c
|-- setld.c
|-- setup2.cxx
|-- setup.cxx
|-- setup.fl
```

```
| |-- setup.h
| |-- slackware.c
| |-- snprintf.c
| |-- string.c
| |-- support.c
| |-- swinstall.c
| |-- tar.c
| |-- uninst2.cxx
| |-- uninst.cxx
| |-- uninst.fl
| `-- uninst.h
-- fltk-1.3.0
| |-- ANNOUNCEMENT
| |-- cairo
| | |-- CMakeLists.txt
| | |-- Fl_Cairo.cxx
| | |-- makedepend
| | `-- Makefile
| |-- CHANGES
| |-- CMake
| | |-- cmake_uninstall.cmake.in
| | |-- FLTKConfig.cmake.in
| | |-- install-symlinks.cmake.in
| | |-- posixScandir.cxx
| | `-- UseFLTK.cmake.in
| |-- CMakeLists.txt
| |-- config.h
| |-- config.cmake.in
| |-- config.in
| |-- config.log
| |-- config.status
| |-- configure
| |-- configure.in
| |-- COPYING
| |-- CREDITS
| |-- DartConfig.cmake
| |-- documentation
| | |-- Doxybook
| | |-- Doxyfile
| | |-- Makefile
| | |-- README
| | |-- src
| | | |-- adjuster1.png
| | | |-- advanced.dox
| | | |-- basics.dox
| | | |-- blocks.man
| | | |-- boxtypes.png
| | | |-- buttons.png
| | | |-- charts.png
| | | |-- checkers.man
| | | |-- choice.png
| | | |-- clock.png
```

```
| | | |-- common.dox
| | | |-- counter.png
| | | |-- cubeview.png
| | | |-- development.dox
| | | |-- dial.png
| | | |-- drawing.dox
| | | |-- editor.dox
| | | |-- editor.png
| | | |-- editor-replace.png
| | | |-- enumerations.dox
| | | |-- events.dox
| | | |-- examples.dox
| | | |-- FL200.png
| | | |-- fl_alert.png
| | | |-- fl_ask.png
| | | |-- Fl_Check_Button.png
| | | |-- fl_choice.png
| | | |-- fl_color_chooser.jpg
| | | |-- Fl_File_Chooser.jpg
| | | |-- Fl_File_Input.png
| | | |-- Fl_Help_Dialog.png
| | | |-- fl_input.png
| | | |-- Fl_Light_Button.png
| | | |-- fl_message.png
| | | |-- Fl_Native_File_Chooser.png
| | | |-- fl_password.png
| | | |-- FL.png
| | | |-- Fl_Return_Button.png
| | | |-- Fl_Roller.png
| | | |-- Fl_Round_Button.png
| | | |-- Fl_Scroll.png
| | | |-- fl_show_colormap.png
| | | |-- Fl_Tile.png
| | | |-- fltk.book
| | | |-- fltk-book.tex
| | | |-- fltk-config.man
| | | |-- fltk.man
| | | |-- fluid1.png
| | | |-- fluid2.png
| | | |-- fluid3-cxx.png
| | | |-- fluid3-gui.png
| | | |-- fluid3-style.png
| | | |-- fluid4.png
| | | |-- fluid-catgets.png
| | | |-- fluid.dox
| | | |-- fluid-gettext.png
| | | |-- fluid.man
| | | |-- fluid-org.png
| | | |-- fluid_prefs.png
| | | |-- fluid_widget_cxx.png
| | | |-- fluid_widget_gui.png
| | | |-- fluid_widget_style.png
```

```
| | | |-- Fl_Value_Input.png
| | | |-- Fl_Value_Output.png
| | | |-- forms.dox
| | | |-- glut.dox
| | | |-- hello.C.png
| | | |-- html_footer
| | | |-- html_stylesheet.css
| | | |-- index.dox
| | | |-- input_choice.jpg
| | | |-- intro.dox
| | | |-- license.dox
| | | |-- menubar.png
| | | |-- menu_button.png
| | | |-- menu.png
| | | |-- migration_1_1.dox
| | | |-- migration_1_3.dox
| | | |-- opengl.dox
| | | |-- osissues.dox
| | | |-- positioner.png
| | | |-- preface.dox
| | | |-- resizebox1.png
| | | |-- resizebox2.png
| | | |-- round_clock.png
| | | |-- scrollbar.png
| | | |-- slider.png
| | | |-- subclassing.dox
| | | |-- sudoku.man
| | | |-- symbols.png
| | | |-- table-as-container.png
| | | |-- table-dimensions.png
| | | |-- table-simple.png
| | | |-- tabs.png
| | | |-- text.png
| | | |-- tiny.png
| | | |-- tree-elements.png
| | | |-- tree-simple.png
| | | |-- unicode.dox
| | | |-- valuator.png
| | | |-- value_slider.png
| | |-- strip_tags
|-- examples
| | |-- howto-add_fd-and-popen.cxx
| | |-- howto-drag-and-drop.cxx
| | |-- howto-parse-args.cxx
| | |-- howto-text-over-image-button.cxx
| | |-- Makefile
| | |-- Makefile.FLTK
| | |-- menubar-add.cxx
| | |-- nativefilechooser-simple-app.cxx
| | |-- README.examples
| | |-- table-as-container.cxx
| | |-- table-simple.cxx
```



```
| | |-- table-sort.cxx
| | |-- table-spreadsheet.cxx
| | |-- table-spreadsheet-with-keyboard-nav.cxx
| | |-- tabs-simple.cxx
| | |-- textdisplay-with-colors.cxx
| | |-- texteditor-simple.cxx
| | |-- tree-simple.cxx
| | `-- wizard-simple.cxx
|-- FL
| | |-- dirent.h
| | |-- Enumerations.H
| | |-- filename.H
| | |-- Fl_Adjuster.H
| | |-- fl_ask.H
| | |-- Fl_Bitmap.H
| | |-- Fl_BMP_Image.H
| | |-- Fl_Box.H
| | |-- Fl_Browser_.H
| | |-- Fl_Browser.H
| | |-- Fl_Button.H
| | |-- Fl_Cairo.H
| | |-- Fl_Cairo_Window.H
| | |-- Fl_Chart.H
| | |-- Fl_Check_Browser.H
| | |-- Fl_Check_Button.H
| | |-- Fl_Choice.H
| | |-- Fl_Clock.H
| | |-- Fl_Color_Chooser.H
| | |-- Fl_Counter.H
| | |-- Fl_Device.H
| | |-- Fl_Dial.H
| | |-- Fl_Double_Window.H
| | |-- fl_draw.H
| | |-- Fl_Export.H
| | |-- Fl_File_Browser.H
| | |-- Fl_File_Chooser.H
| | |-- Fl_File_Icon.H
| | |-- Fl_File_Input.H
| | |-- Fl_Fill_Dial.H
| | |-- Fl_Fill_Slider.H
| | |-- Fl_Float_Input.H
| | |-- Fl_FormsBitmap.H
| | |-- Fl_FormsPixmap.H
| | |-- Fl_Free.H
| | |-- Fl_GIF_Image.H
| | |-- Fl_GL_Window.H
| | |-- Fl_Group.H
| | |-- Fl.H
| | |-- Fl_Help_Dialog.H
| | |-- Fl_Help_View.H
| | |-- Fl_Hold_Browser.H
| | |-- Fl_Hor_Fill_Slider.H
```

```
| |
|-- Fl_Hor_Nice_Slider.H
| | |-- Fl_Hor_Slider.H
| | |-- Fl_Hor_Value_Slider.H
| | |-- Fl_Image.H
| | |-- Fl_Input_Choice.H
| | |-- Fl_Input_.H
| | |-- Fl_Input.H
| | |-- Fl_Int_Input.H
| | |-- Fl_JPEG_Image.H
| | |-- Fl_Light_Button.H
| | |-- Fl_Line_Dial.H
| | |-- Fl_Menu_Bar.H
| | |-- Fl_Menu_Button.H
| | |-- Fl_Menu_.H
| | |-- Fl_Menu.H
| | |-- Fl_Menu_Item.H
| | |-- Fl_Menu_Window.H
| | |-- fl_message.H
| | |-- Fl_Multi_Browser.H
| | |-- Fl_Multi_Label.H
| | |-- Fl_Multiline_Input.H
| | |-- Fl_Multiline_Output.H
| | |-- Fl_Native_File_Chooser.H
| | |-- Fl_Nice_Slider.H
| | |-- Fl_Object.H
| | |-- Fl_Output.H
| | |-- Fl_Overlay_Window.H
| | |-- Fl_Pack.H
| | |-- Fl_Paged_Device.H
| | |-- Fl_Pixmap.H
| | |-- Fl_Plugin.H
| | |-- Fl_PNG_Image.H
| | |-- Fl_PNM_Image.H
| | |-- Fl_Positioner.H
| | |-- Fl_PostScript.H
| | |-- Fl_Preferences.H
| | |-- Fl_Printer.H
| | |-- Fl_Progress.H
| | |-- Fl_Radio_Button.H
| | |-- Fl_Radio_Light_Button.H
| | |-- Fl_Radio_Round_Button.H
| | |-- Fl_Repeat_Button.H
| | |-- Fl_Return_Button.H
| | |-- Fl_RGB_Image.H
| | |-- Fl_Roller.H
| | |-- Fl_Round_Button.H
| | |-- Fl_Round_Clock.H
| | |-- Fl_Scrollbar.H
| | |-- Fl_Scroll.H
| | |-- Fl_Secret_Input.H
| | |-- Fl_Select_Browser.H
```

```
| | |-- Fl_Shared_Image.H
| | |-- fl_show_colormap.H
| | |-- fl_show_input.H
| | |-- Fl_Simple_Counter.H
| | |-- Fl_Single_Window.H
| | |-- Fl_Slider.H
| | |-- Fl_Spinner.H
| | |-- Fl_Sys_Menu_Bar.H
| | |-- Fl_Table.H
| | |-- Fl_Table_Row.H
| | |-- Fl_Tabs.H
| | |-- Fl_Text_Buffer.H
| | |-- Fl_Text_Display.H
| | |-- Fl_Text_Editor.H
| | |-- Fl_Tiled_Image.H
| | |-- Fl_Tile.H
| | |-- Fl_Timer.H
| | |-- Fl_Toggle_Button.H
| | |-- Fl_Toggle_Light_Button.H
| | |-- Fl_Toggle_Round_Button.H
| | |-- Fl_Tooltip.H
| | |-- Fl_Tree.H
| | |-- Fl_Tree_Item_Array.H
| | |-- Fl_Tree_Item.H
| | |-- Fl_Tree_Prefs.H
| | |-- fl_types.h
| | |-- fl_utf8.h
| | |-- Fl_Valuator.H
| | |-- Fl_Value_Input.H
| | |-- Fl_Value_Output.H
| | |-- Fl_Value_Slider.H
| | |-- Fl_Widget.H
| | |-- Fl_Window.H
| | |-- Fl_Wizard.H
| | |-- Fl_XBM_Image.H
| | |-- Fl_XPM_Image.H
| | |-- forms.H
| | |-- gl2opengl.h
| | |-- gl_draw.H
| | |-- gl.h
| | |-- glu.h
| | |-- glut.H
| | |-- mac.H
| | |-- Makefile
| | |-- Makefile.in
| | |-- math.h
| | |-- names.h
| | |-- README.Xcode
| | |-- win32.H
| | |-- x.H
| | |-- Xutf8.h
|-- fltk-config
```

```
| |-- fltk-config.cmake.in
| |-- fltk-config.in
| |-- fltk.list
| |-- fltk.list.in
| |-- fltk.spec
| |-- fltk.spec.in
| |-- fltk.xpm
| |-- fluid
|   |-- about_panel.cxx
|   |-- about_panel.fl
|   |-- about_panel.h
|   |-- alignment_panel.cxx
|   |-- alignment_panel.fl
|   |-- alignment_panel.h
|   |-- align_widget.cxx
|   |-- CMakeLists.txt
|   |-- code.cxx
|   |-- CodeEditor.cxx
|   |-- CodeEditor.h
|   |-- comments.h
|   |-- factory.cxx
|   |-- file.cxx
|   |-- Fl_Function_Type.cxx
|   |-- Fl_Group_Type.cxx
|   |-- Fl_Menu_Type.cxx
|   |-- Fl_Type.cxx
|   |-- Fl_Type.h
|   |-- fluid.app
|   |-- `-- Contents
|       |-- Info.plist
|       |-- MacOS
|       |-- PkgInfo
|       |-- `-- Resources
|           |-- `-- fluid.icns
|   |-- fluid.cxx
|   |-- fluid.desktop
|   |-- Fluid_Image.cxx
|   |-- Fluid_Image.h
|   |-- Fl_Widget_Type.cxx
|   |-- Fl_Widget_Type.h
|   |-- Fl_Window_Type.cxx
|   |-- function_panel.cxx
|   |-- function_panel.fl
|   |-- function_panel.h
|   |-- icons
|       |-- fluid-128.png
|       |-- fluid-16i.png
|       |-- fluid-16.png
|       |-- fluid-256.png
|       |-- fluid-32i.png
|       |-- fluid-32.png
|       |-- fluid-32.xpm
```

```
| | | |-- fluid-48.png
| | | |-- fluid-64.png
| | | |-- fluid-96.xpm
| | | |-- fluid.ico
| | | `-- fluid.xcf.gz
|-- makedepend
|-- Makefile
|-- makefile.wat
|-- pixmapaps
| |-- flAdjuster.xpm
| |-- flBox.xpm
| |-- flBrowser.xpm
| |-- flButton.xpm
| |-- flCheckBrowser.xpm
| |-- flCheckButton.xpm
| |-- flChoice.xpm
| |-- flClass.xpm
| |-- flClock.xpm
| |-- flCodeBlock.xpm
| |-- flCode.xpm
| |-- flComment.xpm
| |-- flCounter.xpm
| |-- flData.xpm
| |-- flDeclarationBlock.xpm
| |-- flDeclaration.xpm
| |-- flDial.xpm
| |-- flFileBrowser.xpm
| |-- flFileInput.xpm
| |-- flFunction.xpm
| |-- flGroup.xpm
| |-- flHelp.xpm
| |-- flInput.xpm
| |-- flLightButton.xpm
| |-- flMenuBar.xpm
| |-- flMenuButton.xpm
| |-- flMenuItem.xpm
| |-- flOutput.xpm
| |-- flPack.xpm
| |-- flProgress.xpm
| |-- flRepeatButton.xpm
| |-- flReturnButton.xpm
| |-- flRoller.xpm
| |-- flRoundButton.xpm
| |-- flScrollBar.xpm
| |-- flScroll.xpm
| |-- flSlider.xpm
| |-- flSpinner.xpm
| |-- flSubmenu.xpm
| |-- flTable.xpm
| |-- flTabs.xpm
| |-- flTextDisplay.xpm
|-- flTextEdit.xpm
```

```
| | | |-- flTile.xpm
| | | |-- flTree.xpm
| | | |-- flValueInput.xpm
| | | |-- flValueOutput.xpm
| | | |-- flValueSlider.xpm
| | | |-- flWidgetClass.xpm
| | | |-- flWindow.xpm
| | | |-- flWizard.xpm
| | | |-- lock.xpm
| | | |-- print_color.xpm
| | | |-- print_gray.xpm
| | | `-- protected.xpm
|-- print_panel.cxx
|-- print_panel.fl
|-- print_panel.h
|-- Shortcut_Button.h
|-- template_panel.cxx
|-- template_panel.fl
|-- template_panel.h
|-- undo.cxx
|-- undo.h
|-- widget_panel.cxx
|-- widget_panel.fl
|-- widget_panel.h
`-- x-fluid.desktop
|-- forms.h
|-- GL
| `-- glut.h
|-- ide
| |-- README.IDE
| |-- VisualC2008
| | |-- adjuster.vcproj
| | |-- arc.vcproj
| | |-- ask.vcproj
| | |-- bitmap.vcproj
| | |-- blocks.vcproj
| | |-- boxtype.vcproj
| | |-- browser.vcproj
| | |-- buttons.vcproj
| | |-- button.vcproj
| | |-- cairo_test.vcproj
| | |-- cfluid.cmd
| | |-- checkers.vcproj
| | |-- clock.vcproj
| | |-- colbrowser.vcproj
| | |-- color_chooser.vcproj
| | |-- config.h
| | |-- cube.vcproj
| | |-- CubeView.vcproj
| | |-- cursor.vcproj
| | |-- curve.vcproj
| | |-- demo.vcproj
```

```
| | | |-- device.vcproj
| | | |-- doublebuffer.vcproj
| | | |-- editor.vcproj
| | | |-- fast_slow.vcproj
| | | |-- file_chooser.vcproj
| | | |-- fltkdll.vcproj
| | | |-- fltkforms.vcproj
| | | |-- fltkgl.vcproj
| | | |-- fltkimages.vcproj
| | | |-- fltk.lib.vcproj
| | | |-- fltk.sln
| | | |-- fluid.vcproj
| | | |-- fonts.vcproj
| | | |-- forms.vcproj
| | | |-- fractals.vcproj
| | | |-- fullscreen.vcproj
| | | |-- gl_overlay.vcproj
| | | |-- glpuzzle.vcproj
| | | |-- hello.vcproj
| | | |-- help.vcproj
| | | |-- iconize.vcproj
| | | |-- image.vcproj
| | | |-- inactive.vcproj
| | | |-- input_choice.vcproj
| | | |-- input.vcproj
| | | |-- jpeg.vcproj
| | | |-- keyboard.vcproj
| | | |-- label.vcproj
| | | |-- libpng.vcproj
| | | |-- line_style.vcproj
| | | |-- mandelbrot.vcproj
| | | |-- menubar.vcproj
| | | |-- message.vcproj
| | | |-- minimum.vcproj
| | | |-- native-filechooser.vcproj
| | | |-- navigation.vcproj
| | | |-- output.vcproj
| | | |-- overlay.vcproj
| | | |-- pack.vcproj
| | | |-- pixmap_browser.vcproj
| | | |-- pixmap.vcproj
| | | |-- preferences.vcproj
| | | |-- radio.vcproj
| | | |-- resizebox.vcproj
| | | |-- resize.vcproj
| | | |-- rotated_text.vcproj
| | | |-- scroll.vcproj
| | | |-- shape.vcproj
| | | |-- subwindow.vcproj
| | | |-- sudoku.vcproj
| | | |-- symbols.vcproj
| | | |-- table.vcproj
```

```
| | | |-- tabs.vcproj
| | | |-- threads.vcproj
| | | |-- tiled_image.vcproj
| | | |-- tile.vcproj
| | | |-- tree.vcproj
| | | |-- unittests.vcproj
| | | |-- utf8.vcproj
| | | |-- valuator.vcproj
| | | `-- zlib.vcproj
|-- VisualC2010
| | |-- adjuster.vcxproj
| | |-- arc.vcxproj
| | |-- ask.vcxproj
| | |-- bitmap.vcxproj
| | |-- blocks.vcxproj
| | |-- boxtype.vcxproj
| | |-- browser.vcxproj
| | |-- buttons.vcxproj
| | |-- button.vcxproj
| | |-- cairo_test.vcxproj
| | |-- cfluid.cmd
| | |-- checkers.vcxproj
| | |-- clock.vcxproj
| | |-- colbrowser.vcxproj
| | |-- color_chooser.vcxproj
| | |-- config.h
| | |-- cube.vcxproj
| | |-- CubeView.vcxproj
| | |-- cursor.vcxproj
| | |-- curve.vcxproj
| | |-- demo.vcxproj
| | |-- device.vcxproj
| | |-- doublebuffer.vcxproj
| | |-- editor.vcxproj
| | |-- fast_slow.vcxproj
| | |-- file_chooser.vcxproj
| | |-- fltkdll.vcxproj
| | |-- fltkforms.vcxproj
| | |-- fltkgl.vcxproj
| | |-- fltkimages.vcxproj
| | |-- fltk.lib.vcxproj
| | |-- fltk.lib.vcxproj.filters
| | |-- fltk.sln
| | |-- fluid.vcxproj
| | |-- fonts.vcxproj
| | |-- forms.vcxproj
| | |-- fractals.vcxproj
| | |-- fullscreen.vcxproj
| | |-- gl_overlay.vcxproj
| | |-- glpuzzle.vcxproj
| | |-- hello.vcxproj
```



```
| | | |-- help.vcxproj
| | | |-- iconize.vcxproj
| | | |-- image.vcxproj
| | | |-- inactive.vcxproj
| | | |-- input_choice.vcxproj
| | | |-- input.vcxproj
| | | |-- jpeg.vcxproj
| | | |-- keyboard.vcxproj
| | | |-- label.vcxproj
| | | |-- libpng.vcxproj
| | | |-- line_style.vcxproj
| | | |-- mandelbrot.vcxproj
| | | |-- menubar.vcxproj
| | | |-- message.vcxproj
| | | |-- minimum.vcxproj
| | | |-- native-filechooser.vcxproj
| | | |-- navigation.vcxproj
| | | |-- output.vcxproj
| | | |-- overlay.vcxproj
| | | |-- pack.vcxproj
| | | |-- pixmap_browser.vcxproj
| | | |-- pixmap.vcxproj
| | | |-- preferences.vcxproj
| | | |-- radio.vcxproj
| | | |-- resizebox.vcxproj
| | | |-- resize.vcxproj
| | | |-- rotated_text.vcxproj
| | | |-- scroll.vcxproj
| | | |-- shape.vcxproj
| | | |-- subwindow.vcxproj
| | | |-- sudoku.vcxproj
| | | |-- symbols.vcxproj
| | | |-- table.vcxproj
| | | |-- tabs.vcxproj
| | | |-- threads.vcxproj
| | | |-- tiled_image.vcxproj
| | | |-- tile.vcxproj
| | | |-- tree.vcxproj
| | | |-- unittests.vcxproj
| | | |-- utf8.vcxproj
| | | |-- valuator.vcxproj
| | | `-- zlib.vcxproj
|-- VisualC6
| | | |-- adjuster.dsp
| | | |-- arc.dsp
| | | |-- ask.dsp
| | | |-- bitmap.dsp
| | | |-- blocks.dsp
| | | |-- boxtype.dsp
| | | |-- browser.dsp
| | | |-- button.dsp
| | | |-- buttons.dsp
```

```
| | | |-- checkers.dsp
| | | |-- clock.dsp
| | | |-- colbrowser.dsp
| | | |-- color_chooser.dsp
| | | |-- config.h
| | | |-- cube.dsp
| | | |-- CubeView.dsp
| | | |-- cursor.dsp
| | | |-- curve.dsp
| | | |-- Demo.dsp
| | | |-- device.dsp
| | | |-- doublebuffer.dsp
| | | |-- editor.dsp
| | | |-- fast_slow.dsp
| | | |-- file_chooser.dsp
| | | |-- fltkdll.dsp
| | | |-- fltk.dsp
| | | |-- fltk.dsw
| | | |-- fltk_formsdll.dsp
| | | |-- fltk_forms.dsp
| | | |-- fltk_gldll.dsp
| | | |-- fltk_gl.dsp
| | | |-- fltk_imagesdll.dsp
| | | |-- fltk_images.dsp
| | | |-- fltk_jpegdll.dsp
| | | |-- fltk_jpeg.dsp
| | | |-- fltk_pngdll.dsp
| | | |-- fltk_png.dsp
| | | |-- fltk_zlibdll.dsp
| | | |-- fltk_zlib.dsp
| | | |-- Fluid.dsp
| | | |-- fonts.dsp
| | | |-- forms.dsp
| | | |-- fractals.dsp
| | | |-- fullscreen.dsp
| | | |-- gl_overlay.dsp
| | | |-- glpuzzle.dsp
| | | |-- hello.dsp
| | | |-- help.dsp
| | | |-- iconize.dsp
| | | |-- image.dsp
| | | |-- inactive.dsp
| | | |-- input_choice.dsp
| | | |-- input.dsp
| | | |-- keyboard.dsp
| | | |-- label.dsp
| | | |-- line_style.dsp
| | | |-- list_visuals.dsp
| | | |-- mandelbrot.dsp
| | | |-- menubar.dsp
| | | |-- message.dsp
| | | |-- minimum.dsp
```

```
| | | |-- native-filechooser.dsp
| | | |-- navigation.dsp
| | | |-- output.dsp
| | | |-- overlay.dsp
| | | |-- pack.dsp
| | | |-- pixmap_browser.dsp
| | | |-- pixmap.dsp
| | | |-- preferences.dsp
| | | |-- radio.dsp
| | | |-- resizebox.dsp
| | | |-- resize.dsp
| | | |-- rotated_text.dsp
| | | |-- scroll.dsp
| | | |-- shape.dsp
| | | |-- subwindow.dsp
| | | |-- sudoku.dsp
| | | |-- symbols.dsp
| | | |-- table.dsp
| | | |-- tabs.dsp
| | | |-- threads.dsp
| | | |-- tiled_image.dsp
| | | |-- tile.dsp
| | | |-- tree.dsp
| | | |-- utf8.dsp
| | | `-- valuator.dsp
|-- Xcode3
| | | |-- config.h
| | | |-- fltk.pch
| | | |-- FLTK.xcodeproj
| | | | `-- project.pbxproj
| | | |-- fluid.pbfilespec
| | | |-- icons
| | | | `-- fluid.icns
| | | |-- plists
| | | | |-- adjuster-Info.plist
| | | | |-- arc-Info.plist
| | | | |-- ask-Info.plist
| | | | |-- bitmap-Info.plist
| | | | |-- blocks-Info.plist
| | | | |-- boxtype-Info.plist
| | | | |-- browser-Info.plist
| | | | |-- button-Info.plist
| | | | |-- buttons-Info.plist
| | | | |-- checkers-Info.plist
| | | | |-- clock-Info.plist
| | | | |-- colbrowser-Info.plist
| | | | |-- color_chooser-Info.plist
| | | | |-- cube-Info.plist
| | | | |-- CubeView-Info.plist
| | | | |-- cursor-Info.plist
| | | | |-- curve-Info.plist
| | | | |-- Demo-Info.plist
```

```
| | | | |-- device-Info.plist
| | | | |-- doublebuffer-Info.plist
| | | | |-- editor-Info.plist
| | | | |-- fast_slow-Info.plist
| | | | |-- file_chooser-Info.plist
| | | | |-- fltk_forms-Info.plist
| | | | |-- fltk_gl-Info.plist
| | | | |-- fltk_images-Info.plist
| | | | |-- fltk-Info.plist
| | | | |-- fltk_jpeg-Info.plist
| | | | |-- fltk_png-Info.plist
| | | | |-- fltk_zlib-Info.plist
| | | | |-- Fluid-Info.plist
| | | | |-- fonts-Info.plist
| | | | |-- forms-Info.plist
| | | | |-- fractals-Info.plist
| | | | |-- fullscreen-Info.plist
| | | | |-- gl_overlay-Info.plist
| | | | |-- glpuzzle-Info.plist
| | | | |-- hello-Info.plist
| | | | |-- help-Info.plist
| | | | |-- iconize-Info.plist
| | | | |-- image-Info.plist
| | | | |-- inactive-Info.plist
| | | | |-- input_choice-Info.plist
| | | | |-- input-Info.plist
| | | | |-- keyboard-Info.plist
| | | | |-- label-Info.plist
| | | | |-- line_style-Info.plist
| | | | |-- list_visuals-Info.plist
| | | | |-- mandelbrot-Info.plist
| | | | |-- menubar-Info.plist
| | | | |-- message-Info.plist
| | | | |-- minimum-Info.plist
| | | | |-- native-filechooser-Info.plist
| | | | |-- navigation-Info.plist
| | | | |-- output-Info.plist
| | | | |-- overlay-Info.plist
| | | | |-- pack-Info.plist
| | | | |-- pixmap_browser-Info.plist
| | | | |-- pixmap-Info.plist
| | | | |-- preferences-Info.plist
| | | | |-- radio-Info.plist
| | | | |-- resizebox-Info.plist
| | | | |-- resize-Info.plist
| | | | |-- rotated_text-Info.plist
| | | | |-- scroll-Info.plist
| | | | |-- shape-Info.plist
| | | | |-- subwindow-Info.plist
| | | | |-- sudoku-Info.plist
| | | | |-- symbols-Info.plist
| | | | |-- table-Info.plist
```

```

|-- tabs-Info.plist
|-- threads-Info.plist
|-- tiled_image-Info.plist
|-- tile-Info.plist
|-- tree-Info.plist
|-- utf8-Info.plist
|-- valuator-Info.plist
|-- zlib-Info.plist
`-- Project Templates
    |-- FLTK Application
        |-- FLTK 1.3
            |-- English.lproj
            |-- InfoPlist.strings
            |-- main.cpp
            |-- main.h
            |-- __PROJECTNAMEASIDENTIFIER__-Info.plist
            |-- __PROJECTNAME__.xcodproj
            |-- project.pbxproj
            |-- TemplateInfo.plist
            |-- ui.fl
        `-- Xcode4
            |-- config.h
            |-- fltk.pch
            |-- FLTK.xcodproj
            |-- project.pbxproj
            |-- fluid.pbfilespec
            |-- icons
            |-- fluid.icns
            |-- plists
            |-- adjuster-Info.plist
            |-- arc-Info.plist
            |-- ask-Info.plist
            |-- bitmap-Info.plist
            |-- blocks-Info.plist
            |-- boxtyp-Info.plist
            |-- browser-Info.plist
            |-- button-Info.plist
            |-- buttons-Info.plist
            |-- checkers-Info.plist
            |-- clock-Info.plist
            |-- colbrowser-Info.plist
            |-- color_chooser-Info.plist
            |-- cube-Info.plist
            |-- CubeView-Info.plist
            |-- cursor-Info.plist
            |-- curve-Info.plist
            |-- Demo-Info.plist
            |-- device-Info.plist
            |-- doublebuffer-Info.plist
            |-- editor-Info.plist
            |-- fast_slow-Info.plist
            |-- file_chooser-Info.plist

```

```
| | | |-- fltk_forms-Info.plist
| | | |-- fltk_gl-Info.plist
| | | |-- fltk_images-Info.plist
| | | |-- fltk-Info.plist
| | | |-- fltk_jpeg-Info.plist
| | | |-- fltk_png-Info.plist
| | | |-- fltk_zlib-Info.plist
| | | |-- Fluid-Info.plist
| | | |-- fonts-Info.plist
| | | |-- forms-Info.plist
| | | |-- fractals-Info.plist
| | | |-- fullscreen-Info.plist
| | | |-- gl_overlay-Info.plist
| | | |-- glpuzzle-Info.plist
| | | |-- hello-Info.plist
| | | |-- help-Info.plist
|
| | | |-- iconize-Info.plist
| | | |-- image-Info.plist
| | | |-- inactive-Info.plist
| | | |-- input_choice-Info.plist
| | | |-- input-Info.plist
| | | |-- keyboard-Info.plist
| | | |-- label-Info.plist
| | | |-- line_style-Info.plist
| | | |-- list_visuals-Info.plist
| | | |-- mandelbrot-Info.plist
| | | |-- menubar-Info.plist
| | | |-- message-Info.plist
| | | |-- minimum-Info.plist
| | | |-- native-filechooser-Info.plist
| | | |-- navigation-Info.plist
| | | |-- output-Info.plist
| | | |-- overlay-Info.plist
| | | |-- pack-Info.plist
| | | |-- pixmap_browser-Info.plist
| | | |-- pixmap-Info.plist
| | | |-- preferences-Info.plist
| | | |-- radio-Info.plist
| | | |-- resizebox-Info.plist
| | | |-- resize-Info.plist
| | | |-- rotated_text-Info.plist
| | | |-- scroll-Info.plist
| | | |-- shape-Info.plist
| | | |-- subwindow-Info.plist
| | | |-- sudoku-Info.plist
| | | |-- symbols-Info.plist
| | | |-- table-Info.plist
| | | |-- tabs-Info.plist
| | | |-- threads-Info.plist
| | | |-- tiled_image-Info.plist
| | | |-- tile-Info.plist
```

```
| | | |-- tree-Info.plist
| | | |-- utf8-Info.plist
| | | |-- valuator-Info.plist
| | | `-- zlib-Info.plist
|-- Project Templates
  |-- FLTK Application
    |-- FLTK 1.3
      |-- English.lproj
      | `-- InfoPlist.strings
      |-- main.cpp
      |-- main.h
      |-- ____PROJECTNAMEASIDENTIFIER____-Info.plist
      |-- ____PROJECTNAME____.xcodproj
      | |-- project.pbxproj
      | `-- TemplateInfo.plist
      `-- ui.fl
|-- install-sh
|-- jpeg
  |-- change.log
  |-- CMakeLists.txt
  |-- coderules.txt
  |-- filelist.txt
  |-- install.txt
  |-- jaricom.c
  |-- jcapimin.c
  |-- jcapistd.c
  |-- jcarith.c
  |-- jccoefct.c
  |-- jccolor.c
  |-- jcdctmgr.c
  |-- jchuff.c
  |-- jcinit.c
  |-- jcmaint.c
  |-- jcmarker.c
  |-- jcmaster.c
  |-- jcomapi.c
  |-- jconfig.h
  |-- jconfig.txt
  |-- jcparm.c
  |-- jprepct.c
  |-- jcsample.c
  |-- jctrans.c
  |-- jdapimin.c
  |-- jdapistd.c
  |-- jdarith.c
  |-- jdatadst.c
  |-- jdatasrc.c
  |-- jdcoefct.c
  |-- jdcolor.c
  |-- jdct.h
  |-- jddctmgr.c
  |-- jdihuff.c
```

```
| | |-- jdinput.c
| | |-- jdmainct.c
| | |-- jdmarker.c
| | |-- jdmaster.c
| | |-- jdmerge.c
| | |-- jdpostct.c
| | |-- jdsample.c
| | |-- jdtrans.c
| | |-- jerror.c
| | |-- jerror.h
| | |-- jfdctflt.c
| | |-- jfdctfst.c
| | |-- jfdctint.c
| | |-- jidctflt.c
| | |-- jidctfst.c
| | |-- jidctint.c
| | |-- jinclude.h
| | |-- jmemmgr.c
| | |-- jmemnobs.c
| | |-- jmehsys.h
| | |-- jmorecfg.h
| | |-- jpegint.h
| | |-- jpeglib.h
| | |-- jquant1.c
| | |-- jquant2.c
| | |-- jutils.c
| | |-- jversion.h
| | |-- libjpeg.txt
| | |-- makedepend
| | |-- Makefile
| | |-- makefile.wat
| | |-- README
| | |-- structure.txt
| | |-- usage.txt
| | `-- wizard.txt
|-- lib
| | `-- README.lib
|-- mac_endianness.h
|-- Makefile
|-- makeinclude
|-- makeinclude.in
|-- misc
| | |-- cp1252.html
| | |-- cp1252.png
| | |-- cp1252.txt
| | |-- cp1252_utf-8.html
| | |-- cp1252_utf-8.txt
| | |-- doxystar.cxx
| | |-- iso-8859-1.txt
| | |-- iso-8859-1_utf-8.txt
| | |-- MacRoman_utf-8.png
| | |-- MacRoman_utf-8.txt
```



```
| | `-- README
| | |-- png
| | | |-- ANNOUNCE
| | | |-- CHANGES
| | | |-- CMakeLists.txt
| | | |-- INSTALL
| | | |-- libpng.3
| | | |-- libpng-manual.txt
| | | |-- libpngpf.3
| | | |-- LICENSE
| | | |-- makedepend
| | | |-- Makefile
| | | |-- makefile.wat
| | | |-- png.5
| | | |-- png.c
| | | |-- pngconf.h
| | | |-- pngdebug.h
| | | |-- pngerror.c
| | | |-- pngget.c
| | | |-- png.h
| | | |-- pnginfo.h
| | | |-- pnglibconf.h
| | | |-- pngmem.c
| | | |-- pngpread.c
| | | |-- pngpriv.h
| | | |-- pngread.c
| | | |-- pngrio.c
| | | |-- pngtran.c
| | | |-- pngutil.c
| | | |-- pngset.c
| | | |-- pngstruct.h
| | | |-- pngtrans.c
| | | |-- pngwio.c
| | | |-- pngwrite.c
| | | |-- pngwtran.c
| | | |-- pngwutil.c
| | | |-- README
| | | `-- TODO
| | |-- README
| | |-- README.Cairo.txt
| | |-- README.CMake.txt
| | |-- README.MSWindows.txt
| | |-- README.OSX.txt
| | |-- README.Unix.txt
| | |-- src
| | | |-- aimm.h
| | | |-- allfiles.xbm
| | | |-- cgdebug.h
| | | |-- CMakeLists.txt
| | | |-- cmap.cxx
| | | |-- d1_mask.xbm
| | | |-- d1.xbm
```

```
| | |-- dump_compose.c
| | |-- ew_mask.xbm
| | |-- ew.xbm
| | |-- fastarrow.h
| | |-- filename_absolute.cxx
| | |-- filename_expand.cxx
| | |-- filename_ext.cxx
| | |-- filename_isdir.cxx
| | |-- filename_list.cxx
| | |-- filename_match.cxx
| | |-- filename_setext.cxx
| | |-- Fl_abort.cxx
| | |-- Fl_add_idle.cxx
| | |-- Fl_Adjuster.cxx
| | |-- fl_arc.cxx
| | |-- fl_arci.cxx
| | |-- Fl_arg.cxx
| | |-- fl_ask.cxx
| | |-- Fl_Bitmap.cxx
| | |-- Fl_BMP_Image.cxx
| | |-- Fl_Box.cxx
| | |-- fl_boxtype.cxx
| | |-- Fl_Browser_.cxx
| | |-- Fl_Browser.cxx
| | |-- Fl_Browser_load.cxx
| | |-- Fl_Button.cxx
| | |-- fl_call_main.c
| | |-- Fl_Chart.cxx
| | |-- Fl_Check_Browser.cxx
| | |-- Fl_Check_Button.cxx
| | |-- Fl_Choice.cxx
| | |-- Fl_Clock.cxx
| | |-- fl_cmap.h
| | |-- Fl_cocoa.mm
| | |-- Fl_Color_Chooser.cxx
| | |-- fl_color.cxx
| | |-- fl_color_mac.cxx
| | |-- fl_color_win32.cxx
| | |-- Fl_compose.cxx
| | |-- Fl_Counter.cxx
| | |-- fl_cursor.cxx
| | |-- fl_curve.cxx
| | |-- Fl.cxx
| | |-- Fl_Device.cxx
| | |-- Fl_Dial.cxx
| | |-- fl_diamond_box.cxx
| | |-- Fl_display.cxx
| | |-- fl_dnd.cxx
| | |-- fl_dnd_win32.cxx
| | |-- fl_dnd_x.cxx
| | |-- Fl_Double_Window.cxx
| | |-- fl_draw.cxx
```

```
| | |-- fl_draw_image.cxx
| | |-- fl_draw_image_mac.cxx
| | |-- fl_draw_image_win32.cxx
| | |-- fl_draw_pixmap.cxx
| | |-- fl_encoding_latin1.cxx
| | |-- fl_encoding_mac_roman.cxx
| | |-- fl_engraved_label.cxx
| | |-- Fl_File_Browser.cxx
| | |-- Fl_File_Chooser2.cxx
| | |-- Fl_File_Chooser.cxx
| | |-- Fl_File_Chooser.fl
| | |-- fl_file_dir.cxx
| | |-- Fl_File_Icon2.cxx
| | |-- Fl_File_Icon.cxx
| | |-- Fl_File_Input.cxx
| | |-- fl_font.cxx
| | |-- Fl_Font.H
| | |-- fl_font_mac.cxx
| | |-- fl_font_win32.cxx
| | |-- fl_font_x.cxx
| | |-- fl_font_xft.cxx
| | |-- Fl_GDI_Printer.cxx
| | |-- Fl_get_key.cxx
| | |-- Fl_get_key_mac.cxx
| | |-- Fl_get_key_win32.cxx
| | |-- Fl_get_system_colors.cxx
| | |-- Fl_GIF_Image.cxx
| | |-- Fl_Gl_Choice.cxx
| | |-- Fl_Gl_Choice.H
| | |-- Fl_Gl_Device_Plugin.cxx
| | |-- Fl_Gl_Overlay.cxx
| | |-- Fl_Gl_Window.cxx
| | |-- Fl_grab.cxx
| | |-- Fl_Group.cxx
| | |-- fl_gtk.cxx
| | |-- Fl_Help_Dialog.cxx
| | |-- Fl_Help_Dialog_Dox.cxx
| | |-- Fl_Help_Dialog.fl
| | |-- Fl_Help_View.cxx
| | |-- Fl_Image.cxx
| | |-- fl_images_core.cxx
| | |-- Fl_Input_.cxx
| | |-- Fl_Input.cxx
| | |-- Fl_JPEG_Image.cxx
| | |-- fl_labeltype.cxx
| | |-- Fl_Light_Button.cxx
| | |-- fl_line_style.cxx
| | |-- Fl_lock.cxx
| | |-- Fl_mac.cxx
| | |-- Fl_Menu_add.cxx
| | |-- Fl_Menu_Bar.cxx
| | |-- Fl_Menu_Button.cxx
```

```
| | |-- Fl_Menu_.cxx
| | |-- Fl_Menu.cxx
| | |-- Fl_Menu_global.cxx
| | |-- Fl_Menu_Window.cxx
| | |-- Fl_Multi_Label.cxx
| | |-- Fl_Native_File_Chooser_common.cxx
| | |-- Fl_Native_File_Chooser.cxx
| | |-- Fl_Native_File_Chooser_FLTK.cxx
| | |-- Fl_Native_File_Chooser_MAC.mm
| | |-- Fl_Native_File_Chooser_WIN32.cxx
| | |-- fl_open_uri.cxx
| | |-- fl_oval_box.cxx
| | |-- fl_overlay.cxx
| | |-- fl_overlay_visual.cxx
| | |-- Fl_Overlay_Window.cxx
| | |-- Fl_own_colormap.cxx
| | |-- Fl_Pack.cxx
| | |-- Fl_Paged_Device.cxx
| | |-- Fl_Pixmap.cxx
| | |-- fl_plastic.cxx
| | |-- Fl_PNG_Image.cxx
| | |-- Fl_PNM_Image.cxx
| | |-- Fl_Positioner.cxx
| | |-- Fl_PostScript.cxx
| | |-- Fl_Preferences.cxx
| | |-- Fl_Printer.cxx
| | |-- Fl_Progress.cxx
| | |-- Fl_Quartz_Printer.mm
| | |-- fl_read_image.cxx
| | |-- fl_read_image_mac.cxx
| | |-- fl_read_image_win32.cxx
| | |-- fl_rect.cxx
| | |-- Fl_Repeat_Button.cxx
| | |-- Fl_Return_Button.cxx
| | |-- Fl_Roller.cxx
| | |-- fl_round_box.cxx
| | |-- Fl_Round_Button.cxx
| | |-- fl_rounded_box.cxx
| | |-- fl_scroll_area.cxx
| | |-- Fl_Scrollbar.cxx
| | |-- Fl_Scroll.cxx
| | |-- fl_set_font.cxx
| | |-- fl_set_fonts.cxx
| | |-- fl_set_fonts_mac.cxx
| | |-- fl_set_fonts_win32.cxx
| | |-- fl_set_fonts_x.cxx
| | |-- fl_set_fonts_xft.cxx
| | |-- fl_shadow_box.cxx
| | |-- Fl_Shared_Image.cxx
| | |-- fl_shortcut.cxx
| | |-- fl_show_colormap.cxx
| | |-- Fl_Single_Window.cxx
```

```
| | |-- Fl_Slider.cxx
| | |-- flstring.c
| | |-- flstring.h
| | |-- fl_symbols.cxx
| | |-- Fl_Sys_Menu_Bar.cxx
|
| |-- Fl_Table.cxx
| | |-- Fl_Table_Row.cxx
| | |-- Fl_Tabs.cxx
| | |-- Fl_Text_Buffer.cxx
| | |-- Fl_Text_Display.cxx
| | |-- Fl_Text_Editor.cxx
| | |-- Fl_Tile.cxx
| | |-- Fl_Tiled_Image.cxx
| | |-- Fl_Tooltip.cxx
| | |-- Fl_Tree.cxx
| | |-- Fl_Tree_Item_Array.cxx
| | |-- Fl_Tree_Item.cxx
| | |-- Fl_Tree_Prefs.cxx
| | |-- fl_utf8.cxx
| | |-- fl_utf.c
| | |-- Fl_Valuator.cxx
| | |-- Fl_Value_Input.cxx
| | |-- Fl_Value_Output.cxx
| | |-- Fl_Value_Slider.cxx
| | |-- fl_vertex.cxx
| | |-- Fl_visual.cxx
| | |-- Fl_Widget.cxx
| | |-- Fl_win32.cxx
| | |-- Fl_Window.cxx
| | |-- Fl_Window_fullscreen.cxx
| | |-- Fl_Window_hotspot.cxx
| | |-- Fl_Window_iconize.cxx
| | |-- Fl_Wizard.cxx
| | |-- Fl_XBM_Image.cxx
| | |-- Fl_XColor.H
| | |-- Fl_x.cxx
| | |-- Fl_XPM_Image.cxx
| | |-- forms_bitmap.cxx
| | |-- forms_compatibility.cxx
| | |-- forms_free.cxx
| | |-- forms_fselect.cxx
| | |-- forms_pixmap.cxx
| | |-- forms_timer.cxx
| | |-- freeglut_geometry.cxx
| | |-- freeglut_stroke_mono_roman.cxx
| | |-- freeglut_stroke_roman.cxx
| | |-- freeglut_teapot.cxx
| | |-- freeglut_teapot_data.h
| | |-- gl_draw.cxx
| | |-- gl_start.cxx
| | |-- glut_compatibility.cxx
```

```
| | |-- glut_font.cxx
| | |-- makedepend
| | |-- Makefile
| | |-- makefile.wat
| | |-- mediumarrow.h
| | |-- new.xbm
| | |-- ns_mask.xbm
| | |-- ns.xbm
| | |-- numericst.c
| | |-- print_panel.cxx
| | |-- print_panel.h
| | |-- ps_image.cxx
| | |-- scandir.c
| | |-- scandir_win32.c
| | |-- screen_xywh.cxx
| | |-- slowarrow.h
| | |-- tile.xpm
| | |-- up.xbm
| | |-- vsnprintf.c
| | `-- xutf8
| |   |-- case.c
| |   |-- COPYING
| |   |-- fl_wcwidth.c
| |   |-- headers
| |   | |-- case.h
| |   | |-- case_tbl.txt
| |   | |-- dingbats_.h
| |   | |-- spacing.h
| |   | |-- spacing_tbl.txt
| |   | |-- symbol_.h
| |   | `-- tbl.txt
| |   |-- imKStoUCS.c
| |   |-- is_right2left.c
| |   |-- is_spacing.c
| |   |-- keysym2Ucs.c
| |   |-- lcUniConv
| |   | |-- 8bit_tab_to_h.c
| |   | |-- armSCII_8.h
| |   | |-- ascii.h
| |   | |-- big5_emacs.h
| |   | |-- big5.h
| |   | |-- cjk_tab_to_h.c
| |   | |-- COPYRIGHT
| |   | |-- cp1133.h
| |   | |-- cp1251.h
| |   | |-- cp1255.h
| |   | |-- cp1256.h
| |   | |-- cp936ext.h
| |   | |-- gb2312.h
| |   | |-- gbk_tab_to_h.c
| |   | |-- georgian_academy.h
| |   | |-- georgian_ps.h
```

```
| | | |-- iso8859_10.h
| | | |-- iso8859_11.h
| | | |-- iso8859_13.h
| | | |-- iso8859_14.h
| | | |-- iso8859_15.h
| | | |-- iso8859_16.h
| | | |-- iso8859_1.h
| | | |-- iso8859_2.h
| | | |-- iso8859_3.h
| | | |-- iso8859_4.h
| | | |-- iso8859_5.h
| | | |-- iso8859_6.h
| | | |-- iso8859_7.h
| | | |-- iso8859_8.h
| | | |-- iso8859_9e.h
| | | |-- iso8859_9.h
| | | |-- jisx0201.h
| | | |-- jisx0208.h
| | | |-- jisx0212.h
| | | |-- koi8_c.h
| | | |-- koi8_r.h
| | | |-- koi8_u.h
| | | |-- ksc5601.h
| | | |-- mulelao.h
| | | |-- README
| | | |-- tatar_cyr.h
| | | |-- tcvn.h
| | | |-- tis620.h
| | | |-- ucs2be.h
| | | |-- utf8.h
| | | `-- viscii.h
|-- MAPPINGS
|-- mk_wewidth.c
|-- README
|-- stamp-h
|-- stamp-h.in
|-- test2.c
|-- test.c
|-- ucs2fontmap.c
|-- ucs2fontmap.c.mini
|-- utf8Input.c
|-- utf8Utils.c
|-- utf8Wrap.c
|-- utils
| |-- case.sh
| |-- convert_map.c
| |-- conv_gen.c
| |-- create_table.c
| |-- euc_tw.c
| |-- INSTALL
| |-- Makefile
| |-- non_spacing.sh
```

```
| | | |-- README
| | | |-- tbl_gen.sh
| | | |-- Ximint.h
| | | |-- Xlibint.h
|-- test
| |-- adjuster.cxx
| |-- arc.cxx
| |-- ask.cxx
| |-- bitmap.cxx
| |-- blocks.app
| |-- Contents
| | |-- Info.plist
| | |-- MacOS
| | |-- PkgInfo
| | |-- Resources
| | |-- blocks.icns
|-- blocks.cxx
|-- boxtype.cxx
|-- browser.cxx
|-- button.cxx
|-- buttons.cxx
|-- cairo_test.cxx
|-- checkers.app
| |-- Contents
| | |-- Info.plist
| | |-- MacOS
| | |-- PkgInfo
| | |-- Resources
| | |-- checkers.icns
|-- checkers.cxx
|-- clock.cxx
|-- CMakeLists.txt
|-- colbrowser.cxx
|-- color_chooser.cxx
|-- connect.cxx
|-- cube.cxx
|-- CubeMain.cxx
|-- CubeView.cxx
|-- CubeView.h
|-- CubeViewUI.fl
|-- cursor.cxx
|-- curve.cxx
|-- demo.cxx
|-- demo.menu
|-- desktop
| |-- blocks-128.png
| |-- blocks-32.png
| |-- blocks.desktop
| |-- checkers-128.png
| |-- checkers-32.png
| |-- checkers.desktop
| |-- sudoku-128.png
```



```
| | | |-- sudoku-32.png
| | | |-- sudoku.desktop
| | | |-- device.cxx
| | | |-- doublebuffer.cxx
| | | |-- editor.cxx
| | | |-- fast_slow.fl
| | | |-- file_chooser.cxx
| | | |-- fl_jpeg_image.cxx
| | | |-- fonts.cxx
| | | |-- forms.cxx
| | | |-- fractals.cxx
| | | |-- fracviewer.cxx
| | | |-- fracviewer.h
| | | |-- fromdos.c
| | | |-- fullscreen.cxx
| | | |-- gl_overlay.cxx
| | | |-- gpuzzle.cxx
| | | |-- hello.cxx
| | | |-- help.cxx
| | | |-- iconize.cxx
| | | |-- image.cxx
| | | |-- inactive.fl
| | | |-- input_choice.cxx
| | | |-- input.cxx
| | | |-- keyboard.cxx
| | | |-- keyboard.h
| | | |-- keyboard_ui.fl
| | | |-- label.cxx
| | | |-- line_style.cxx
| | | |-- list_visuals.cxx
| | | |-- makedepend
| | | |-- Makefile
| | | |-- makefile.wat
| | | |-- mandelbrot.cxx
| | | |-- mandelbrot.h
| | | |-- mandelbrot_ui.fl
| | | |-- menubar.cxx
| | | |-- message.cxx
| | | |-- minimum.cxx
| | | |-- native-filechooser.cxx
| | | |-- navigation.cxx
| | | |-- output.cxx
| | | |-- overlay.cxx
| | | |-- pack.cxx
| | | |-- pixmap_browser.cxx
| | | |-- pixmap.cxx
| | | |-- pixmaps
| | | | |-- black_1.xbm
| | | | |-- black_2.xbm
| | | | |-- black_3.xbm
| | | | |-- black_4.xbm
| | | | |-- blackking_1.xbm
```

```
| | | |-- blackking_2.xbm
| | | |-- blackking_3.xbm
| | | |-- blackking_4.xbm
| | | |-- blast.xpm
| | | |-- block.xcf.gz
| | | |-- blue_bomb.xpm
| | | |-- blue.xpm
| | | |-- cyan_bomb.xpm
| | | |-- cyan.xpm
| | | |-- gray_bomb.xpm
| | | |-- gray.xpm
| | | |-- green_bomb.xpm
| | | |-- green.xpm
| | | |-- magenta_bomb.xpm
| | | |-- magenta.xpm
| | | |-- porsche1.xpm
| | | |-- porsche.xpm
| | | |-- red_bomb.xpm
| | | |-- red.xpm
| | | |-- srs.xbm
| | | |-- sudoku.xbm
| | | |-- tile.xpm
| | | |-- white_1.xbm
| | | |-- white_2.xbm
| | | |-- white_3.xbm
| | | |-- white_4.xbm
| | | |-- whiteking_1.xbm
| | | |-- whiteking_2.xbm
| | | |-- whiteking_3.xbm
| | | |-- whiteking_4.xbm
| | | |-- yellow_bomb.xpm
| | | `-- yellow.xpm
|-- preferences.fl
|-- radio.fl
|-- README
|-- resizebox.cxx
|-- resize.fl
|-- rgb.txt
|-- rotated_text.cxx
|-- scroll.cxx
|-- shape.cxx
|-- subwindow.cxx
|-- sudoku.app
|-- Contents
|   |-- Info.plist
|   |-- MacOS
|   |-- PkgInfo
|   `-- Resources
|       `-- sudoku.icns
|-- sudoku.cxx
|-- sudoku.ico
|-- sudoku.rc
```

```
| | |-- sudokurc.h
| | |-- symbols.cxx
| | |-- table.cxx
| | |-- tabs.fl
| | |-- threads.cxx
| | |-- threads.h
| | |-- tile.cxx
| | |-- tiled_image.cxx
| | |-- trackball.c
| | |-- trackball.h
| | |-- tree.fl
| | |-- unittest_about.cxx
| | |-- unittest_circles.cxx
| | |-- unittest_images.cxx
| | |-- unittest_lines.cxx
| | |-- unittest_points.cxx
| | |-- unittest_rects.cxx
| | |-- unittest_scrollbarsize.cxx
| | |-- unittests.cxx
| | |-- unittest_text.cxx
| | |-- unittest_viewport.cxx
| | |-- utf8.cxx
| | `-- valuators.fl
|-- zlib
| |-- adler32.c
| |-- algorithm.txt
| |-- ChangeLog
| |-- CMakeLists.txt
| |-- compress.c
| |-- crc32.c
| |-- crc32.h
| |-- deflate.c
| |-- deflate.h
| |-- FAQ
| |-- gzclose.c
| |-- gzguts.h
| |-- gzlib.c
| |-- gzread.c
| |-- gzwrite.c
| |-- INDEX
| |-- inback.c
| |-- inffast.c
| |-- inffast.h
| |-- inffixed.h
| |-- inflate.c
| |-- inflate.h
| |-- inftrees.c
| |-- inftrees.h
| |-- makedepend
| |-- Makefile
| |-- makefile.wat
| |-- README
```



```
| | |-- deletesettingc.cpp
| | |-- deletesettingc.h
| | |-- deletesetting.ui
| | |-- dither.xpm
| | |-- duplex.xpm
| | |-- dupl_long.xpm
| | |-- dupl_none.xpm
| | |-- dupl_short.xpm
| | |-- gamma.xpm
| | |-- globalppd.c
| | |-- globalppd.h
| | |-- gresol.xpm
| | |-- icons.cpp
| | |-- icons.h
| | |-- image.cpp
| | |-- imagetype.xpm
| | |-- inputslot.xpm
| | |-- interleave.h
| | |-- landscape.xpm
| | |-- list.xpm
| | |-- magenta.xpm
| | |-- main.cpp
| | |-- Makefile
| | |-- marginpreview.cpp
| | |-- marginpreview.h
| | |-- moc_qpaper.cpp
| | |-- moc_qpaperdlg.cpp
| | |-- moc_trysc.cpp
| | |-- moc_trys.cpp
| | |-- numericwidget.cpp
| | |-- numericwidget.h
| | |-- numeric.xpm
| | |-- nup16.xpm
| | |-- nup1.xpm
| | |-- nup2.xpm
| | |-- nup4.xpm
| | |-- nup6.xpm
| | |-- nup9.xpm
| | |-- options1.ui
| | |-- optionsc1.cpp
| | |-- optionsc1.h
| | |-- optionsettingc.cpp
| | |-- optionsettingc.h
| | |-- optionsetting.ui
| | |-- pagesize.xpm
| | |-- passworddialogbase.ui
| | |-- passworddialog.cpp
| | |-- passworddialog.h
| | |-- portrait.xpm
| | |-- position.cpp
| | |-- position.h
| | |-- ppd-util.h
```

```
| | |-- pretty.xpm
| | |-- previewimage.cpp
| | |-- previewimage.h
| | |-- preview.xpm
| | |-- printer_adjust.xpm
| | |-- printer_class_stopped.xpm
| | |-- printer_class.xpm
| | |-- printer_defect.xpm
| | |-- printer_extra.xpm
| | |-- printer_general.xpm
| | |-- printer_install.xpm
| | |-- printer_jcl.xpm
| | |-- printeroptions.xml
| | |-- printer_remote_stopped.xpm
| | |-- printer_remote.xpm
| | |-- printer_stopped.xpm
| | |-- printer.xpm
| | |-- qaddimagewatermark.cpp
| | |-- qaddtextwatermark.cpp
| | |-- qaskokiimpl.cpp
| | |-- qclineedit.cpp
| | |-- qclineedit.h
| | |-- qconfigpage.h
| | |-- qcupsconfigdialogbase.ui
| | |-- qcupsconfigdialog.cpp
| | |-- qcupsconfigdialog.h
| | |-- qcupsprintdialogbase.ui
| | |-- qcupsprintdialog.cpp
| | |-- qcupsprintdialog.h
| | |-- qcupsprinterconfigdialog.cpp
| | |-- qcupsprinterconfigdialog.h
| | |-- qcupsprinterconfigdialog.moc.cpp
| | |-- qcupsprinter.cpp
| | |-- qcupsprinter.h
| | |-- qcustom.moc
| | |-- qcustomsize.cpp
| | |-- qcustomsize.h
| | |-- qcustomsize.moc.cpp
| | |-- qcustom.ui
| | |-- qgeneralconfigbase.moc
| | |-- qgeneralconfigbase.ui
| | |-- qgeneralconfig.cpp
| | |-- qgeneralconfig.h
| | |-- qgeneralconfig.moc.cpp
| | |-- qhpgl2configbase.ui
| | |-- qhpgl2config.cpp
| | |-- qhpgl2config.h
| | |-- qimageconfigbase.ui
| | |-- qimageconfig.cpp
| | |-- qimageconfig.h
| | |-- qimagewatermarkpreview.cpp
| | |-- qpaper.cpp
```

```
| | |-- qpapergdlg.cpp
| | |-- qpapergmoc.cpp
| | |-- qppdbbaseitem.cpp
| | |-- qppdbbaseitem.h
| | |-- qppdconfigpage.cpp
| | |-- qppdconfigpage.h
| | |-- qppdgroupitem.cpp
| | |-- qppdgroupitem.h
| | |-- qppdnumericaloptionitem.cpp
| | |-- qppdnumericaloptionitem.h
| | |-- qppdoptionitem.cpp
| | |-- qppdoptionitem.h
| | |-- qppdoptionview.cpp
| | |-- qppdoptionview.h
| | |-- qppdview.cpp
| | |-- qppdview.h
| | |-- qppdwidget.cpp
| | |-- qppdwidget.h
| | |-- qsettingconfig.cpp
| | |-- qsettingconfig.h
| | |-- qsetting.ui
| | |-- qtcups.cpp
| | |-- qtcups.h
| | |-- qtcups.pro
| | |-- qtextconfigbase.ui
| | |-- qtextconfig.cpp
| | |-- qtextconfig.h
| | |-- resol.xpm
| | |-- revland.xpm
| | |-- revport.xpm
| | |-- saturation.xpm
| | |-- savetoc.cpp
| | |-- savetoc.h
| | |-- saveto.ui
| | |-- uncollate_rev.xpm
| | |-- uncollate.xpm
| | |-- usr.bin
| | `-- yellow.xpm
|-- rastertosfx
`-- rastertosfxm
    |-- jbig_ar.c
    |-- jbig_ar.h
    |-- jbig.c
    |-- jbig.h
    |-- Makefile
    |-- orderdither.c
    |-- orderdither.h
    |-- rastertosfx.c
    |-- rastertosfx.h
    `-- SFXGStream.h
|-- print-pcl6
|-- foomatic-filters-4.0.4
```

```
| | |-- acinclude.m4
| | |-- aclocal.m4
| | |-- AUTHORS
| | |-- beh.in
| | |-- ChangeLog
| | |-- config.h.in
| | |-- configure
| | |-- configure.ac
| | |-- COPYING
| | |-- depcomp
| | |-- fileconverter.c
| | |-- fileconverter.h
| | |-- filter.conf
| | |-- foomatic-rip.1.in
| | |-- foomaticrip.c
| | |-- foomaticrip.h
| | |-- INSTALL
| | |-- install-sh
| | |-- make_configure
| | |-- Makefile.am
| | |-- Makefile.in
| | |-- missing
| | |-- mkinstalldirs
| | |-- NEWS
| | |-- options.c
| | |-- options.h
| | |-- pdf.c
| | |-- pdf.h
| | |-- postscript.c
| | |-- postscript.h
| | |-- process.c
| | |-- process.h
| | |-- README
| | |-- renderer.c
| | |-- renderer.h
| | |-- spooler.c
| | |-- spooler.h
| | |-- STANDARD_installation
| | |-- test
| | |-- foomatic-test-input-ps.ps
| | |-- foomatic-test.ppd
| | |-- foomatic-test-renderer
| | |-- lsbfuncs.sh
| | |-- shfuncs.sh
| | |-- tcm.sh
| | |-- testfoomaticrip
| | |-- `-- tetapi.sh
| | |-- TODO
| | |-- USAGE
| | |-- util.c
| | |-- util.h
| | |-- VERSION
```



```
| | `-- VERSION.full
| | -- ghostscript-8.64
| | | -- autogen.sh
| | | -- base
| | | | -- aes.c
| | | | -- aes.h
| | | | -- all-arch.mak
| | | | -- append_1.com
| | | | -- bcc32.cfg
| | | | -- bcwin32.mak
| | | | -- bench.c
| | | | -- catmake
| | | | -- configure.ac
| | | | -- contrib.mak
| | | | -- ConvertUTF.c
| | | | -- ConvertUTF.h
| | | | -- copy_one.com
| | | | -- cp.bat
| | | | -- cp.cmd
| | | | -- ctype_.h
| | | | -- devs.mak
| | | | -- dirent_.h
| | | | -- dmmain.c
| | | | -- dmmain.r
| | | | -- dos_.h
| | | | -- echogs.c
| | | | -- errno_.h
| | | | -- errors.h
| | | | -- expat.mak
| | | | -- fcntl_.h
| | | | -- gconf.c
| | | | -- gconf.h
| | | | -- gdebug.h
| | | | -- gdev3852.c
| | | | -- gdev3b1.c
| | | | -- gdev4081.c
| | | | -- gdev4693.c
| | | | -- gdev8510.c
| | | | -- gdev8bcm.c
| | | | -- gdev8bcm.h
| | | | -- gdevabuf.c
| | | | -- gdevadmp.c
| | | | -- gdevatx.c
| | | | -- gdevbbox.c
| | | | -- gdevbbox.h
| | | | -- gdevbit.c
| | | | -- gdevbj10.c
| | | | -- gdevbjc.h
| | | | -- gdevbjcl.c
| | | | -- gdevbjcl.h
| | | | -- gdevbmpa.c
| | | | -- gdevbmp.c
```

| | | |-- gdevbmp.c  
| | | |-- gdevbmp.h  
| | | |-- gdevcairo.c  
| | | |-- gdevccr.c  
| | | |-- gdevcdj.c  
| | | |-- gdevcfax.c  
| | | |-- gdevcgm.c  
| | | |-- gdevcgm1.c  
| | | |-- gdevcgm1.h  
| | | |-- gdevcgm2.h  
| | | |-- gdevcif.c  
| | | |-- gdevclj.c  
| | | |-- gdevcljc.c  
| | | |-- gdevcp50.c  
| | | |-- gdevcslw.c  
| | | |-- gdevdbit.c  
| | | |-- gdevdcrd.c  
| | | |-- gdevdcrd.h  
| | | |-- gdevddrw.c  
| | | |-- gdevddrw.h  
| | | |-- gdevdevn.c  
| | | |-- gdevdevn.h  
| | | |-- gdevdfax.c  
| | | |-- gdevdflt.c  
| | | |-- gdevdubr.c  
| | | |-- gdevdjet.c  
| | | |-- gdevdjtc.c  
| | | |-- gdevdljm.c  
| | | |-- gdevdljm.h  
| | | |-- gdevdm24.c  
| | | |-- gdevdrop.c  
| | | |-- gdevdsha.c  
| | | |-- gdevdsp2.h  
| | | |-- gdevdsp.c  
| | | |-- gdevdsp.h  
| | | |-- gdevemap.c  
| | | |-- gdevepsc.c  
| | | |-- gdevepsn.c  
| | | |-- gdevescp.c  
| | | |-- gdevevga.c  
| | | |-- gdevfax.c  
| | | |-- gdevfax.h  
| | | |-- gdevherc.c  
| | | |-- gdevhit.c  
| | | |-- gdevhl7x.c  
| | | |-- gdevifno.c  
| | | |-- gdevijs.c  
| | | |-- gdevimdi.c  
| | | |-- gdevimgn.c  
| | | |-- gdevjbig2.c  
| | | |-- gdevjpeg.c  
| | | |-- gdevjpx.c

```
| | | |-- gdevl256.c
| | | |-- gdevl31s.c
| | | |-- gdevlbp8.c
| | | |-- gdevlj56.c
| | | |-- gdevlp8k.c
| | | |-- gdevlxm.c
| | | |-- gdevm16.c
| | | |-- gdevm1.c
| | | |-- gdevm24.c
| | | |-- gdevm2.c
| | | |-- gdevm32.c
| | | |-- gdevm40.c
| | | |-- gdevm48.c
| | | |-- gdevm4.c
| | | |-- gdevm56.c
| | | |-- gdevm64.c
| | | |-- gdevm8.c
| | | |-- gdevmac.c
| | | |-- gdevmac.h
| | | |-- gdevmacpictop.h
| | | |-- gdevmacttf.h
| | | |-- gdevmacxf.c
| | | |-- gdevmeds.c
| | | |-- gdevmeds.h
| | | |-- gdevmem.c
| | | |-- gdevmem.h
| | | |-- gdevmgr.c
| | | |-- gdevmgr.h
| | |
| | | |-- gdevmiff.c
| | | |-- gdevmpla.c
| | | |-- gdevmpla.h
| | | |-- gdevmr1.c
| | | |-- gdevmr2n.c
| | | |-- gdevmr8n.c
| | | |-- gdevmrop.h
| | | |-- gdevmrun.c
| | | |-- gdevmrun.h
| | | |-- gdevmswn.c
| | | |-- gdevmswn.h
| | | |-- gdevmsxf.c
| | | |-- gdevn533.c
| | | |-- gdevnfwd.c
| | | |-- gdevo182.c
| | | |-- gdevokii.c
| | | |-- gdevos2p.c
| | | |-- gdevp14.c
| | | |-- gdevp14.h
| | | |-- gdevp2up.c
| | | |-- gdevpbm.c
| | | |-- gdevpccm.c
| | | |-- gdevpccm.h
```

```
| | | |-- gdevpcfb.c
| | | |-- gdevpcfb.h
| | | |-- gdevpcl.c
| | | |-- gdevpcl.h
| | | |-- gdevpcx.c
| | | |-- gdevpdfb.c
| | | |-- gdevpdfb.h
| | | |-- gdevpdf.c
| | | |-- gdevpdfc.c
| | | |-- gdevpdfc.h
| | | |-- gdevpdfd.c
| | | |-- gdevpdfdfe.c
| | | |-- gdevpdfg.c
| | | |-- gdevpdfg.h
| | | |-- gdevpdfi.c
| | | |-- gdevpdfj.c
| | | |-- gdevpdfk.c
| | | |-- gdevpdfm.c
| | | |-- gdevpdfo.c
| | | |-- gdevpdfo.h
| | | |-- gdevpdfp.c
| | | |-- gdevpdfr.c
| | | |-- gdevpdft.c
| | | |-- gdevpdfu.c
| | | |-- gdevpdfv.c
| | | |-- gdevpdfx.h
| | | |-- gdevpdtb.c
| | | |-- gdevpdtb.h
| | | |-- gdevpdt.c
| | | |-- gdevpdtc.c
| | | |-- gdevpdttd.c
| | | |-- gdevpdttd.h
| | | |-- gdevpdte.c
| | | |-- gdevpdtf.c
| | | |-- gdevpdtf.h
| | | |-- gdevpdt.h
| | | |-- gdevpdti.c
| | | |-- gdevpdti.h
| | | |-- gdevpdtts.c
| | | |-- gdevpdtts.h
| | | |-- gdevpdttt.c
| | | |-- gdevpdttt.h
| | | |-- gdevpdtv.c
| | | |-- gdevpdtv.h
| | | |-- gdevpdtw.c
| | | |-- gdevpdtw.h
| | | |-- gdevpdtx.h
| | | |-- gdevpe.c
| | | |-- gdevperm.c
| | | |-- gdevphex.c
| | | |-- gdevpipe.c
| | | |-- gdevpjet.c
```

| | | |-- gdevplnx.c  
| | | |-- gdevplnx.h  
| | | |-- gdevpm.h  
| | | |-- gdevpng.c  
| | | |-- gdevppla.c  
| | | |-- gdevppla.h  
| | | |-- gdevprna.c  
| | | |-- gdevprna.h  
| | | |-- gdevprn.c  
| | | |-- gdevprn.h  
| | | |-- gdevps.c  
| | | |-- gdevpsd.c  
| | | |-- gdevpsdf.h  
| | | |-- gdevpsdi.c  
| | | |-- gdevpsdp.c  
| | | |-- gdevpsds.c  
| | | |-- gdevpsds.h  
| | | |-- gdevpsdu.c  
| | | |-- gdevpsf1.c  
| | | |-- gdevpsf2.c  
| | | |-- gdevpsf.h  
| | | |-- gdevpsfm.c  
| | | |-- gdevpsft.c  
| | | |-- gdevpsfu.c  
| | | |-- gdevpsfx.c  
| | | |-- gdevpsim.c  
| | | |-- gdevpsu.c  
| | | |-- gdevpsu.h  
| | | |-- gdevpxat.h  
| | | |-- gdevpx.c  
| | | |-- gdevpxen.h  
| | | |-- gdevpxop.h  
| | | |-- gdevpxut.c  
| | | |-- gdevpxut.h  
| | | |-- gdevrinkj.c  
| | | |-- gdevrops.c  
| | | |-- gdevs3ga.c  
| | | |-- gdevsco.c  
| | | |-- gdevsgi.c  
| | | |-- gdevsgi.h  
| | | |-- gdevsj48.c  
| | | |-- gdevsnfb.c  
| | | |-- gdevsppr.c  
| | | |-- gdevstc1.c  
| | | |-- gdevstc2.c  
| | | |-- gdevstc3.c  
| | | |-- gdevstc4.c  
| | | |-- gdevstc.c  
| | | |-- gdevstc.h  
| | | |-- gdevsun.c  
| | | |-- gdevsunr.c  
| | | |-- gdevsvga.c

```
| | | |-- gdevsvga.h
| | | |-- gdevsvg.c
| | | |-- gdevtfax.c
| | | |-- gdevtfax.h
| | | |-- gdevtfnx.c
| | | |-- gdevtifs.c
| | | |-- gdevtifs.h
| | | |-- gdevtknk.c
| | | |-- gdevtrac.c
| | | |-- gdevtsep.c
| | | |-- gdevtxtw.c
| | | |-- gdevupd.c
| | | |-- gdevvec.c
| | | |-- gdevvec.h
| | | |-- gdevvglb.c
| | | |-- gdevwddb.c
| | | |-- gdevwdib.c
| | | |-- gdevwpr2.c
| | | |-- gdevwprn.c
| | | |-- gdevwts.c
| | | |-- gdevxalt.c
| | | |-- gdevx.c
| | | |-- gdevxcf.c
| | | |-- gdevxcmp.c
| | | |-- gdevxcmp.h
| | | |-- gdevx.h
| | | |-- gdevxini.c
| | | |-- gdevxres.c
| | | |-- gdevxxf.c
| | | |-- genarch.c
| | | |-- genconf.c
| | | |-- gendev.c
| | | |-- genht.c
| | | |-- gpcheck.h
| | | |-- gp_dosfe.c
| | | |-- gp_dosfs.c
| | | |-- gp_dvx.c
| | | |-- gpgetenv.h
| | | |-- gp_getnv.c
| | | |-- gp.h
| | | |-- gp_iwatc.c
| | | |-- gp_mac.c
| | | |-- gp_mac.h
| | | |-- gp_macio.c
| | | |-- gp_macpoll.c
| | | |-- gpmisc.c
| | | |-- gpmisc.h
| | | |-- gp_mktmp.c
| | | |-- gp_msdl.c
| | | |-- gp_msdos.c
| | | |-- gp_mshdl.c
| | | |-- gp_mslib.c
```

```
| | | |-- gp_mspol.c
| | | |-- gp_msprn.c
| | | |-- gp_mswin.c
| | | |-- gp_mswin.h
| | | |-- gp_nsync.c
| | | |-- gp_ntfs.c
| | | |-- gp_os2.c
| | | |-- gp_os2fs.c
| | | |-- gp_os2.h
| | | |-- gp_os2pr.c
| | | |-- gp_os9.c
| | | |-- gp_paper.c
| | | |-- gp_psync.c
| | | |-- gp_stdia.c
| | | |-- gp_stdin.c
| | | |-- gp_strdl.c
| | | |-- gpsync.h
| | | |-- gp_sysv.c
| | | |-- gp_unifn.c
| | | |-- gp_unifs.c
| | | |-- gp_unix.c
| | | |-- gp_unix_cache.c
| | | |-- gp_upapr.c
| | | |-- gp_vms.c
| | | |-- gp_wgetv.c
| | | |-- gp_win32.c
| | | |-- gp_wpapr.c
| | | |-- gp_wsync.c
| | | |-- gsalloc.c
| | | |-- gsalloc.h
| | | |-- gsalphac.c
| | | |-- gsalphac.h
| | | |-- gsalphac.h
| | | |-- gsalphac.h
| | | |-- gsargs.c
| | | |-- gsargs.h
| | | |-- gsbitcom.c
| | | |-- gsbitmap.h
| | | |-- gsbitops.c
| | | |-- gsbitops.h
| | | |-- gsbittab.c
| | | |-- gsbittab.h
| | | |-- gsccode.h
| | | |-- gsccolor.h
| | | |-- gscdef.c
| | | |-- gscdefs.h
| | | |-- gscdevn.c
| | | |-- gscdevn.h
| | | |-- gscedata.c
| | | |-- gscedata.h
| | | |-- gscencs.c
| | | |-- gscencs.h
```

```
| | | |-- gschar0.c
| | | |-- gschar.c
| | | |-- gschar.h
| | | |-- gscicach.c
| | | |-- gscicach.h
| | | |-- gscie.c
| | | |-- gscie.h
| | | |-- gsciemap.c
| | | |-- gscindex.h
| | | |-- gsclipsr.c
| | | |-- gsclipsr.h
| | | |-- gscolor1.c
| | | |-- gscolor1.h
| | | |-- gscolor2.c
| | | |-- gscolor2.h
| | | |-- gscolor3.c
| | | |-- gscolor3.h
| | | |-- gscolor.c
| | | |-- gscolor.h
| | | |-- gscompt.h
| | | |-- gscoord.c
| | | |-- gscoord.h
| | | |-- gscparam.c
| | | |-- gscpixel.c
| | | |-- gscpixel.h
| | | |-- gscpm.h
| | | |-- gscrd.c
| | | |-- gscrd.h
| | | |-- gscrdp.c
| | | |-- gscrdp.h
| | | |-- gscrypt1.c
| | | |-- gscrypt1.h
| | | |-- gscscie.c
| | | |-- gscsel.h
| | | |-- gscsepr.c
| | | |-- gscsepr.h
| | | |-- gscspace.c
| | | |-- gscspace.h
| | | |-- gscssub.c
| | | |-- gscssub.h
| | | |-- gsdcolor.h
| | | |-- gsdevice.c
| | | |-- gsdevice.h
| | | |-- gsdevmem.c
| | | |-- gsdfilt.c
| | | |-- gsdfilt.h
| | | |-- gs_dll_call.h
| | | |-- gsdll.h
| | | |-- gsdllwin.h
| | | |-- gsdparam.c
| | | |-- gsdpNext.h
| | | |-- gsdps1.c
```



```
| | | |-- gsdps.c
| | | |-- gsdps.h
| | | |-- gsdsr.c
| | | |-- gsdsr.h
| | | |-- gsequiv.c
| | | |-- gsequiv.h
| | | |-- gserror.h
| | | |-- gserrors.h
| | | |-- gsexit.h
| | | |-- gsfcid2.c
| | | |-- gsfcid.c
| | | |-- gsfcmap1.c
| | | |-- gsfcmap.c
| | | |-- gsfcmap.h
| | | |-- gsflip.c
| | | |-- gsflip.h
| | | |-- gsfname.c
| | | |-- gsfname.h
| | | |-- gsfont0.c
| | | |-- gsfont0c.c
| | | |-- gsfont.c
| | | |-- gsfont.h
| | | |-- gsfunc0.c
| | | |-- gsfunc0.h
| | | |-- gsfunc3.c
| | | |-- gsfunc3.h
| | | |-- gsfunc4.c
| | | |-- gsfunc4.h
| | | |-- gsfunc.c
| | | |-- gsfunc.h
| | | |-- gsgcache.c
| | | |-- gsgcache.h
| | | |-- gsgc.h
| | | |-- gsgdata.c
| | | |-- gsgdata.h
| | | |-- gshsb.c
| | | |-- gshsb.h
| | | |-- gsht1.c
| | | |-- gsht1.h
| | | |-- gsht.c
| | | |-- gsht.h
| | | |-- gshtscr.c
| | | |-- gshtx.c
| | | |-- gshtx.h
| | | |-- gsicc.c
| | | |-- gsicc.h
| | | |-- gsimage.c
| | | |-- gsimage.h
| | | |-- gsimpath.c
| | | |-- gsinit.c
| | | |-- gsiodev.c
| | | |-- gsiodevs.c
```

```
| | | |-- gsiodisk.c
| | | |-- gsio.h
| | | |-- gsiomacres.c
| | | |-- gsiorom.c
| | | |-- gsiorom.h
| | | |-- gsipar3x.h
| | | |-- gsiparam.h
| | | |-- gsiparm2.h
| | | |-- gsiparm3.h
| | | |-- gsiparm4.h
| | | |-- gsistate.c
| | | |-- gsjconf.h
| | | |-- gsjmorec.h
| | | |-- gslib.c
| | | |-- gslibctx.c
| | | |-- gslibctx.h
| | | |-- gslib.h
| | | |-- gsline.c
| | | |-- gsline.h
| | | |-- gslparam.h
| | | |-- gs.mak
| | | |-- gsmalloc.c
| | | |-- gsmalloc.h
| | | |-- gsmatrix.c
| | | |-- gsmatrix.h
| | | |-- gsmchunk.c
| | | |-- gsmchunk.h
| | | |-- gsmdebug.h
| | | |-- gsmemlok.c
| | | |-- gsmemlok.h
| | | |-- gsmemory.c
| | | |-- gsmemory.h
| | | |-- gsmemraw.h
| | | |-- gsmemret.c
| | | |-- gsmemret.h
| | | |-- gsmisc.c
| | | |-- gsnamecl.c
| | | |-- gsnamecl.h
| | | |-- gsncdummy.c
| | | |-- gsncdummy.h
```

```
| |-- gsnogc.c
```

```
| | | |-- gsnogc.h
| | | |-- gsnorop.c
| | | |-- gsnotify.c
| | | |-- gsnotify.h
| | | |-- gsovrc.c
| | | |-- gsovrc.h
| | | |-- gspaint.c
| | | |-- gspaint.h
| | | |-- gsparam2.c
| | | |-- gsparam.c
```

```
| | | |-- gsparam.h
| | | |-- gsparams.c
| | | |-- gsparams.h
| | | |-- gsparamx.c
| | | |-- gsparamx.h
| | | |-- gspath1.c
| | | |-- gspath2.h
| | | |-- gspath.c
| | | |-- gspath.h
| | | |-- gspcolor.c
| | | |-- gspcolor.h
| | | |-- gspenum.h
| | | |-- gspmdrv.c
| | | |-- gspmdrv.def
| | | |-- gspmdrv.h
| | | |-- gspmdrv.icx
| | | |-- gspmdrv.rc
| | | |-- gsptype1.c
| | | |-- gsptype1.h
| | | |-- gsptype2.c
| | | |-- gsptype2.h
| | | |-- gsrect.h
| | | |-- gsrefct.h
| | | |-- gsromfs0.c
| | | |-- gsrop.c
| | | |-- gsrop.h
| | | |-- gsroptab.c
| | | |-- gsropt.h
| | | |-- gsserial.c
| | | |-- gsserial.h
| | | |-- gsshade.c
| | | |-- gsshade.h
| | | |-- gsstate.c
| | | |-- gsstate.h
| | | |-- gsstruct.h
| | | |-- gsstype.h
| | | |-- gstext.c
| | | |-- gstext.h
| | | |-- gstparam.h
| | | |-- gstrans.c
| | | |-- gstrans.h
| | | |-- gstrap.c
| | | |-- gstrap.h
| | | |-- gstype1.c
| | | |-- gstype1.h
| | | |-- gstype2.c
| | | |-- gstype42.c
| | | |-- gstypes.h
| | | |-- gsuid.h
| | | |-- gsutil.c
| | | |-- gsutil.h
| | | |-- gswin16.icx
```

```
| | | |-- gswin32.rc
| | | |-- gswin.icx
| | | |-- gswin.rc
| | | |-- gswts.c
| | | |-- gswts.h
| | | |-- gsxfont.h
| | | |-- gxacpath.c
| | | |-- gxalloc.h
| | | |-- gxalpha.h
| | | |-- gxarith.h
| | | |-- gxband.h
| | | |-- gxbcache.c
| | | |-- gxbcache.h
| | | |-- gxbitfmt.h
| | | |-- gxbitmap.h
| | | |-- gxbitops.h
| | | |-- gxblend1.c
| | | |-- gxblend.c
| | | |-- gxblend.h
| | | |-- gxccache.c
| | | |-- gxccman.c
| | | |-- gxcdevn.h
| | | |-- gxchar.c
| | | |-- gxchar.h
| | | |-- gxchrout.c
| | | |-- gxchrout.h
| | | |-- gxcht.c
| | | |-- gxcid.h
| | | |-- gxcie.h
| | | |-- gxcindex.h
| | | |-- gxclbits.c
| | | |-- gxcldev.h
| | | |-- gxclfile.c
| | | |-- gxclimag.c
| | | |-- gxclio.h
| | | |-- gxclip2.c
| | | |-- gxclip2.h
| | | |-- gxclip.c
| | | |-- gxclip.h
| | | |-- gxclipm.c
| | | |-- gxclipm.h
| | | |-- gxclipsr.h
| | | |-- gxclist.c
| | | |-- gxclist.h
| | | |-- gxcllzw.c
| | | |-- gxclmem.c
| | | |-- gxclmem.h
| | | |-- gxclpage.c
| | | |-- gxclpage.h
| | | |-- gxclpath.c
| | | |-- gxclpath.h
| | | |-- gxclrast.c
```

```
| | | |-- gxcload.c
| | | |-- gxcloadrect.c
| | | |-- gxcloadthrd.c
| | | |-- gxcloadthrd.h
| | | |-- gxcloadutil.c
| | | |-- gxcloadzlib.c
| | | |-- gxcmap.c
| | | |-- gxcmap.h
| | | |-- gxcmapcolor2.h
| | | |-- gxcmapcomp.h
| | | |-- gxcmapcoord.h
| | | |-- gxcmappath.c
| | | |-- gxcmappath.h
| | | |-- gxcmapspace.h
| | | |-- gxcmaptable.c
| | | |-- gxcmaptable.h
| | | |-- gxcmapvalue.h
| | | |-- gxcmapdcconv.c
| | | |-- gxcmapdcconv.h
| | | |-- gxcmapdccolor.c
| | | |-- gxcmapdccolor.h
| | | |-- gxcmapdda.h
| | | |-- gxcmapdevbuf.h
| | | |-- gxcmapdevcli.h
| | | |-- gxcmapdevice.h
| | | |-- gxcmapdevmem.h
| | | |-- gxcmapdevndi.c
| | | |-- gxcmapdevndi.h
| | | |-- gxcmapdevrop.h
| | | |-- gxcmapdht.h
| | | |-- gxcmapdhtres.h
| | | |-- gxcmapdhtserial.c
| | | |-- gxcmapdhtserial.h
| | | |-- gxcmapdither.h
| | | |-- gxcmapdtfill.h
| | | |-- gxcmapfapiu.c
| | | |-- gxcmapfapiu.h
| | | |-- gxcmapfarith.h
| | | |-- gxcmapfcache.h
| | | |-- gxcmapfcid.h
| | | |-- gxcmapfcmap1.h
| | | |-- gxcmapfcmap.h
| | | |-- gxcmapfcopy.c
| | | |-- gxcmapfcopy.h
| | | |-- gxcmapfdrop.c
| | | |-- gxcmapfdrop.h
| | | |-- gxcmapfill.c
| | | |-- gxcmapfill.h
| | | |-- gxcmapfillsl.h
| | | |-- gxcmapfilltr.h
| | | |-- gxcmapfillts.h
| | | |-- gxcmapfixed.h
```

```
| | | |-- gxfmap.h
| | | |-- gxfont0c.h
| | | |-- gxfont0.h
| | | |-- gxfont1.h
| | | |-- gxfont42.h
| | | |-- gxfont.h
| | | |-- gxfrac.h
| | | |-- gxftype.h
| | | |-- gxfunc.h
| | | |-- gxgetbit.h
| | | |-- gx.h
| | | |-- gxhintn1.c
| | | |-- gxhintn.c
| | | |-- gxhintn.h
| | | |-- gxhldevc.c
| | | |-- gxhldevc.h
| | | |-- gxhtbit.c
| | | |-- gxht.c
| | | |-- gxht.h
| | | |-- gxhttile.h
| | | |-- gxhttype.h
| | | |-- gxi12bit.c
| | | |-- gxi16bit.c
| | | |-- gxiclass.h
| | | |-- gxicolor.c
| | | |-- gxidata.c
| | | |-- gxifast.c
| | | |-- gximag3x.c
| | | |-- gximag3x.h
| | | |-- gximage1.c
| | | |-- gximage2.c
| | | |-- gximage3.c
| | | |-- gximage3.h
| | | |-- gximage4.c
| | | |-- gximage.c
| | | |-- gximage.h
| | | |-- gximask.c
| | | |-- gximask.h
| | | |-- gximono.c
| | | |-- gxino12b.c
| | | |-- gxino16b.c
| | | |-- gxiodev.h
| | | |-- gxiparam.h
| | | |-- gxipixel.c
| | | |-- gxiscale.c
| | | |-- gxistate.h
| | | |-- gxline.h
| | | |-- gxlum.h
| | | |-- gxmatrix.h
| | | |-- gxmclip.c
| | | |-- gxmclip.h
| | | |-- gxobj.h
```

```
| | | |-- gxoprect.c
| | | |-- gxoprect.h
| | | |-- gxplfill.c
| | | |-- gxplimpl.h
| | | |-- gxpageq.c
| | | |-- gxpageq.h
| | | |-- gxpaint.c
| | | |-- gxpaint.h
| | | |-- gxpath2.c
| | | |-- gxpath.c
| | | |-- gxpath.h
| | | |-- gxpcache.h
| | | |-- gxpcmap.c
| | | |-- gxpcolor.h
| | | |-- gxpcopy.c
| | | |-- gxpdash.c
| | | |-- gxflat.c
| | | |-- gxrplane.h
| | | |-- gxsample.c
| | | |-- gxsample.h
| | | |-- gxsamplp.h
| | | |-- gxshade1.c
| | | |-- gxshade4.c
| | | |-- gxshade4.h
| | | |-- gxshade6.c
| | | |-- gxshade.c
| | | |-- gxshade.h
| | | |-- gxstate.h
| | | |-- gxstdio.h
| | | |-- gxstroke.c
| | | |-- gxsync.c
| | | |-- gxsync.h
| | | |-- gxtext.h
| | | |-- gxtmap.h
| | | |-- gxttfb.c
| | | |-- gxttfb.h
| | | |-- gxttf.h
| | | |-- gxtype1.c
| | | |-- gxtype1.h
| | | |-- gxwts.c
| | | |-- gxwts.h
| | | |-- gxxfont.h
| | | |-- gzacpath.h
| | | |-- gzcpath.h
| | | |-- gzht.h
| | | |-- gzline.h
| | | |-- gzpath.h
| | | |-- gzspotan.c
| | | |-- gzspotan.h
| | | |-- gzstate.h
| | | |-- icclib.mak
| | | |-- ijs.mak
```

```
| | | |-- instcopy
| | | |-- jasper.mak
| | | |-- jbig2.mak
| | | |-- jerror_.h
| | | |-- jpeg.mak
| | | |-- ldf_jb2.mak
| | | |-- lib.mak
| | | |-- libpng.mak
| | | |-- lwf_jp2.mak
| | | |-- macgenmcpxml.sh
| | | |-- macos_carbon_d_pre.h
| | | |-- macos_carbon_pre.h
| | | |-- macos_classic_d_pre.h
| | | |-- macos-fw.mak
| | | |-- macos-mcp.mak
| | | |-- macosx.mak
| | | |-- macsystypes.h
| | | |-- Makefile.in
| | | |-- malloc_.h
| | | |-- math_.h
| | | |-- md5.c
| | | |-- md5.h
| | | |-- md5main.c
| | | |-- memory_.h
| | | |-- mkromfs.c
| | | |-- msvccmd.mak
| | | |-- msvclib.mak
| | | |-- msvctail.mak
| | | |-- mv.bat
| | | |-- mv.cmd
| | | |-- openvms.mak
| | | |-- openvms.mmk
| | | |-- pwin.mak
| | | |-- pipe_.h
| | | |-- png_.h
| | | |-- rinkj
| | | | |-- evenbetter-rll.c
| | | | |-- evenbetter-rll.h
| | | | |-- rinkj-byte-stream.c
| | | | |-- rinkj-byte-stream.h
| | | | |-- rinkj-config.c
| | | | |-- rinkj-config.h
| | | | |-- rinkj-device.c
| | | | |-- rinkj-device.h
| | | | |-- rinkj-dither.c
| | | | |-- rinkj-dither.h
| | | | |-- rinkj-epson870.c
| | | | |-- rinkj-epson870.h
| | | | |-- rinkj-screen-eb.c
| | | | `-- rinkj-screen-eb.h
| | | |-- rm_all.com
| | | |-- rm.bat
```



```
| | | |-- rm.cmd  
| | | |-- rm_one.com  
| | | |-- sa85d.c  
| | | |-- sa85d.h  
| | | |-- sa85x.h  
| | | |-- saes.c  
| | | |-- saes.h  
| | | |-- sarc4.c  
| | | |-- sarc4.h  
| | | |-- sbcp.c  
| | | |-- sbcp.h  
| | | |-- sbhc.c  
| | | |-- sbhc.h  
| | | |-- sbtx.h  
| | | |-- sbwbs.c  
| | | |-- sbwbs.h  
| | | |-- scanchar.h  
| | | |-- scantab.c  
| | | |-- scfd.c  
| | | |-- scfdgen.c  
| | | |-- scfdtab.c  
| | | |-- scfe.c  
| | | |-- scfetab.c  
| | | |-- scf.h  
| | | |-- scfparam.c  
| | | |-- scfx.h  
| | | |-- scommon.h  
| | | |-- sdcparam.c  
| | | |-- sdcparam.h  
| | | |-- sdctc.c  
| | | |-- sdctd.c  
| | | |-- sdcte.c  
| | | |-- sdct.h  
| | | |-- sddparam.c  
| | | |-- sdeparam.c  
| | | |-- seexec.c  
| | | |-- setjmp_.h  
| | | |-- sfilter2.c  
| | | |-- sfilter.h  
| | | |-- sfxboth.c  
| | | |-- sfxcommon.c  
| | | |-- sfxfd.c  
| | | |-- sfxstdio.c  
| | | |-- shc.c  
| | | |-- shcgen.c  
| | | |-- shcgen.h  
| | | |-- shc.h  
| | | |-- sidscale.c  
| | | |-- sidscale.h  
| | | |-- siinterp.c  
| | | |-- siinterp.h
```

|-- simscale.c

| | | |-- simscale.h  
| | | |-- siscale.c  
| | | |-- siscale.h  
| | | |-- sisparam.h  
| | | |-- sjbig2.c  
| | | |-- sjbig2.h  
| | | |-- sjbig2\_luratech.c  
| | | |-- sjbig2\_luratech.h  
| | | |-- sjpegc.c  
| | | |-- sjpegd.c  
| | | |-- sjpege.c  
| | | |-- sjpeg.h  
| | | |-- sjpx.c  
| | | |-- sjpx.h  
| | | |-- sjpx\_luratech.c  
| | | |-- sjpx\_luratech.h  
| | | |-- slzwc.c  
| | | |-- slzwd.c  
| | | |-- slzwe.c  
| | | |-- slzwx.h  
| | | |-- smd5.c  
| | | |-- smd5.h  
| | | |-- smtf.c  
| | | |-- smtf.h  
| | | |-- spdiff.c  
| | | |-- spdiffx.h  
| | | |-- spngp.c  
| | | |-- spngpx.h  
| | | |-- spprint.c  
| | | |-- spprint.h  
| | | |-- spsdf.c  
| | | |-- spsdf.h  
| | | |-- srdline.h  
| | | |-- srlc.c  
| | | |-- srle.c  
| | | |-- srlx.h  
| | | |-- sstring.c  
| | | |-- sstring.h  
| | | |-- stat\_.h  
| | | |-- std.h  
| | | |-- stdint\_.h  
| | | |-- stdio\_.h  
| | | |-- stdpn.h  
| | | |-- stdpre.h  
| | | |-- stream.c  
| | | |-- stream.h  
| | | |-- strimpl.h  
| | | |-- string\_.h  
| | | |-- strmio.c  
| | | |-- strmio.h  
| | | |-- szlibc.c

```
| | | |-- szlibd.c
| | | |-- szlibe.c
| | | |-- szlibx.h
| | | |-- szlibxx.h
| | | |-- time_.h
| | | |-- ttcalc.c
| | | |-- ttcalc.h
| | | |-- ttcommon.h
| | | |-- ttconf.h
| | | |-- ttconfig.h
| | | |-- ttfinp.c
| | | |-- ttfinp.h
| | | |-- ttfmain.c
| | | |-- ttfmemd.c
| | | |-- ttfmemd.h
| | | |-- ttfoutl.h
| | | |-- ttfsfnt.h
| | | |-- ttinterp.c
| | | |-- ttinterp.h
| | | |-- ttload.c
| | | |-- ttload.h
| | | |-- ttmisc.h
| | | |-- ttobjs.c
| | | |-- ttobjs.h
| | | |-- tttables.h
| | | |-- tttype.h
| | | |-- tttypes.h
| | | |-- turboc.cfg
| | | |-- ugcclib.mak
| | | |-- unistd_.h
| | | |-- unixansi.mak
| | | |-- unix-aux.mak
| | | |-- unix-dll.mak
| | | |-- unix-end.mak
| | | |-- unix-gcc.mak
| | | |-- unixhead.mak
| | | |-- unixinst.mak
| | | |-- unixlink.mak
| | | |-- vdtrace.c
| | | |-- vdtrace.h
| | | |-- version.mak
| | | |-- vmsmath.h
| | | |-- vms_x_fix.h
| | | |-- watclib.mak
| | | |-- watcw32.mak
| | | |-- wccommon.mak
| | | |-- wctail.mak
| | | |-- windows_.h
| | | |-- winlib.mak
| | | |-- winplat.mak
| | | |-- wrfont.c
| | | |-- wrfont.h
```

```
| | | |-- write_t1.c
| | | |-- write_t1.h
| | | |-- write_t2.c
| | | |-- write_t2.h
| | | |-- wtsimdi.c
| | | |-- x_h
| | | `-- zlib.mak
|-- b.bat
|-- configure
|-- configure.ac
|-- contrib
| |-- chp2200
| | |-- AUTHORS
| | |-- COPYING
| | `-- INSTALL
|-- contrib.mak
|-- defs.h
|-- eplaser
| |-- gdevescv.c
| | `-- gdevescv.h
|-- epson740
| |-- printerdb_rh5.2
| |-- printerdb_rh6.0
| |-- ps-to-printer.fpi_rh5.2
| |-- README
| `-- upp-HowTo-to-be
|-- gdevbjca.c
|-- gdevbjc_.c
|-- gdevbjc_.h
|-- gdevcd8.c
|-- gdevcd8.h
|-- gdevdj9.c
|-- gdevgdi.c
|-- gdevhl12.c
|-- gdevln03.c
|-- gdevlx32.c
|-- gdevlx50.c
|-- gdevlx7.c
|-- gdevmd2k.c
|-- gdevop4w.c
|-- gdevxes.c
|-- gomni.c
|-- japanese
| |-- dmp_init.ps
| |-- dmp_site.ps
| |-- doc
| | |-- cdj880.txt
| | |-- dj505j.txt
| | |-- djgpp.txt
| | |-- gdev10v.txt
| | |-- gdevalps.txt
| | |-- gdevcd8.txt
```

```
| | | | | |-- gdevdmpr.txt
| | | | | |-- gdevfmlbp.txt
| | | | | |-- gdevj100.txt
| | | | | |-- gdevlbp3.txt
| | | | | |-- Gdevlips.htm
| | | | | |-- gdevmag.txt
| | | | | |-- gdevmd2k.txt
| | | | | |-- gdevmjc.txt
| | | | | |-- gdevml6.txt
| | | | | |-- gdevp201.txt
| | | | | |-- gs261j.euc
| | | | | |-- gs261j.txt
| | | | | `-- README.gs550j
| | | | |-- dviprlib.c
| | | | |-- dviprlib.h
| | | | |-- escp_24.src
| | | | |-- gdev10v.c
| | | | |-- gdevalps.c
| | | | |-- gdevdmpr.c
| | | | |-- gdevespg.c
| | | | |-- gdevfmlbp.c
| | | | |-- gdevfmpr.c
| | | | |-- gdevj100.c
| | | | |-- gdevlbp3.c
| | | | |-- gdevmag.c
| | | | |-- gdevmjc.c
| | | | |-- gdevmjc.h
| | | | |-- gdevml6.c
| | | | |-- gdevnpdl.c
| | | | |-- gdevp201.c
| | | | `-- gdevrpd.c
|-- lips4
| | | | |-- gdevl4r.c
| | | | |-- gdevl4v.c
| | | | |-- gdevl4v.c.orig
| | | | |-- gdevlips.c
| | | | |-- gdevlips.h
| | | | |-- gdevlprn.c
| | | | `-- gdevlprn.h
|-- lxm3200-tweaked
| | | | |-- LICENSE
| | | | |-- README
| | | | |-- RELEASE_NOTES
| | | | `-- Z12-Z31-QuickSetup
|-- md2k_md5k
| | | | `-- README.jis
|-- opvp
| | | | |-- gdevopvp.c
| | | | |-- opvp_0_2_0.h
| | | | |-- opvp_common.h
| | | | |-- opvp.h
| | | | `-- opvp_media.def
```

```
| | | |-- pcl3
| | | |-- BUGS
| | | |-- doc
| | | |-- gs-mods.txt
| | | |-- gs-pcl3.1
| | | |-- gs-pcl3.html
| | | |-- gs-pcl3.ref
| | | |-- how-to-report.txt
| | | |-- notes.bbl
| | | |-- notes.tex
| | | |-- pcl3opts.1
| | | |-- pcl3opts.html
| | | |-- pcl3opts.ref
| | | `-- reports.txt
|-- eprn
|-- eprnfs.c
|-- eprnparm.c
|-- eprnrend.c
|-- eprnrend.c.orig
|-- gdeveprn.c
|-- gdeveprn.h
|-- mediasize.c
|-- mediasize.h
|-- pagecount.c
|-- `-- pagecount.h
|-- LGPL
|-- lib
|-- |-- cups-pcl3
|-- |-- example.mcf
|-- |-- `-- if-pcl3
|-- NEWS
|-- pcl3.tar.sig
|-- ppd
|-- |-- catppd
|-- |-- fonts.ppd
|-- |-- gs-5.50.ppd
|-- |-- gs-6.01.ppd
|-- |-- gs-6.50.ppd
|-- |-- gs-6.51.ppd
|-- |-- gs-7.00.ppd
|-- |-- gs-common.ppd
|-- |-- gs-pcl3-common.ppd
|-- |-- gs-pcl3-hpdj1120c.ppd
|-- |-- gs-pcl3-hpdj3xx.ppd
|-- |-- gs-pcl3-hpdj400.ppd
|-- |-- gs-pcl3-hpdj500c.ppd
|-- |-- gs-pcl3-hpdj500.ppd
|-- |-- gs-pcl3-hpdj510.ppd
|-- |-- gs-pcl3-hpdj540.ppd
|-- |-- gs-pcl3-hpdj550c.ppd
|-- |-- gs-pcl3-hpdj600.ppd
|-- |-- gs-pcl3-hpdj660c.ppd
```

```
| | | | | |-- gs-pcl3-hpdj680c.ppd
| | | | | |-- gs-pcl3-hpdj8xxc.ppd
| | | | | |-- gs-pcl3-hpdjportable.ppd
| | | | | |-- gs-pcl3-unspeold.ppd
| | | | | |-- gs-pcl3-unspec.ppd
| | | | | `-- README
|-- ps
| | | | | |-- calign.ps
| | | | | |-- dumpppd.ps
| | | | | |-- levels-test.ps
| | | | | |-- margins-A4.ps
| | | | | |-- margins-A4Rotated.ps
| | | | | |-- margins-Env10Rotated.ps
| | | | | |-- margins-EnvDLRotated.ps
| | | | | |-- margins-Letter.ps
| | | | | `-- margins-LetterRotated.ps
|-- README
`-- src
| | | | | |-- contrib.mak-5.50.add
| | | | | |-- contrib.mak-6.01.add
| | | | | |-- contrib.mak-6.50.add
| | | | | |-- contrib.mak-6.51.add
| | | | | |-- contrib.mak-7.00.add
| | | | | |-- gdevpcl3.c
| | | | | |-- pcl3opts.c
| | | | | |-- pcl3opts-de.msg
| | | | | |-- pcl3opts-en.msg
| | | | | |-- pclcap.c
| | | | | |-- pclcap.h
| | | | | |-- pclcomp.c
| | | | | |-- pclgen.c
| | | | | |-- pclgen.h
| | | | | |-- pclscan.c
| | | | | |-- pclscan.h
| | | | | |-- pclsize.c
| | | | | |-- pclsize.h
| | | | | |-- zmedia2.c-5.50.diff
| | | | | |-- zmedia2.c-6.01.diff
| | | | | |-- zmedia2.c-6.50.diff
| | | | | |-- zmedia2.c-6.51.diff
| | | | | `-- zmedia2.c-7.00.diff
|-- pcolor
| | | | | |-- instream.yy
| | | | | |-- Makefile
| | | | | `-- test.c
`-- uniprint
| | | | | |-- bjc6000a1.upp
| | | | | |-- bjc6000b1.upp
| | | | | |-- PM760pl.upp
| | | | | |-- PM760p.upp
| | | | | |-- PM820pl.upp
| | | | | |-- PM820p.upp
```

```
| | | |-- s400a1.upp
| | | |-- s400b1.upp
| | | |-- sharp.upp
| | | |-- sipixa6.upp
| | | |-- Stc670pl.upp
| | | |-- Stc670p.upp
| | | |-- Stc680pl.upp
| | | |-- Stc680p.upp
| | | |-- stc740ih.upp
| | |
| | | |-- Stc740pl.upp
| | | |-- Stc740p.upp
| | | |-- Stc760pl.upp
| | | |-- Stc760p.upp
| | | |-- Stc777pl.upp
| | | |-- Stc777p.upp
| | | |-- Stp720pl.upp
| | | |-- Stp720p.upp
| | | |-- Stp870pl.upp
| | | `-- Stp870p.upp
| | |-- cups
| | | |-- cups.mak
| | | |-- gdevcups.c
| | | |-- pdftoraster.c
| | | |-- pdftoraster.convs
| | | |-- pstopxl
| | | |-- pstopxl.in
| | | |-- pstoraster
| | | |-- pstoraster.convs
| | | |-- pstoraster.in
| | | |-- pxlcolor.ppd
| | | `-- pxlmono.ppd
| |-- doc
| | |-- API.htm
| | |-- AUTHORS
| | |-- Changes.htm
| | |-- Commprod.htm
| | |-- COPYING
| | |-- C-style.htm
| | |-- Deprecated.htm
| | |-- Details8.htm
| | |-- Details.htm
| | |-- Develop.htm
| | |-- Devices.htm
| | |-- DLL.htm
| | |-- Drivers.htm
| | |-- Fonts.htm
| | |-- gs.css
| | |-- gsdoc.el
| | |-- gs-vms.hlp
| | |-- Helpers.htm
| | |-- Hershey.htm
```



```
| | | |-- History1.htm
| | | |-- History2.htm
| | | |-- History3.htm
| | | |-- History4.htm
| | | |-- History5.htm
| | | |-- History6.htm
| | | |-- History7.htm
| | | |-- History8.htm
| | | |-- index.html
| | | |-- Install.htm
| | | |-- Issues.htm
| | | |-- Language.htm
| | | |-- Lib.htm
| | | |-- Make.htm
| | | |-- News.htm
| | | |-- Projects.htm
| | | |-- Ps2epsi.htm
| | | |-- Ps2pdf.htm
| | | |-- Ps2ps2.htm
| | | |-- pscet_status.txt
| | | |-- Psfiles.htm
| | | |-- Ps-style.htm
| | | |-- README
| | | |-- Readme.htm
| | | |-- Release.htm
| | | |-- Source.htm
| | | |-- Unix-lpr.htm
| | | |-- Use.htm
| | | `-- Xfonts.htm
|-- examples
| | |-- alphabet.ps
| | |-- alphabet.ps.pdf
| | |-- annots.pdf
| | |-- chess.ps
| | |-- chess.ps.pdf
| | |-- cjk
| | | |-- all_ac1.ps
| | | |-- all_ag1.ps
| | | |-- all_aj1.ps
| | | |-- all_aj2.ps
| | | |-- all_ak1.ps
| | | |-- article9.ps
| | | |-- gscjk_ac.ps
| | | |-- gscjk_ag.ps
| | | |-- gscjk_aj.ps
| | | |-- gscjk_ak.ps
| | | |-- iso2022.ps
| | | `-- iso2022v.ps
| | |-- colorcir.ps
| | |-- colorcir.ps.pdf
| | |-- doretree.pdf
| | |-- doretree.ps
```

```
| | | |-- doretree.ps.pdf
| | | |-- escher.ps
| | | |-- escher.ps.pdf
| | | |-- golfer.eps
| | | |-- golfer.eps.pdf
| | | |-- grayalph.ps
| | | |-- grayalph.ps.pdf
| | | |-- ridt91.eps
| | | |-- ridt91.eps.pdf
| | | |-- snowflak.ps
| | | |-- snowflak.ps.pdf
| | | |-- tiger.eps
| | | |-- tiger.eps.pdf
| | | |-- tiger.pdf
| | | |-- vasarely.ps
| | | |-- vasarely.ps.pdf
| | | |-- waterfal.ps
| | | `-- waterfal.ps.pdf
|-- expat
| | |-- amiga
| | | |-- expat_lib.c
| | | |-- expat_vectors.c
| | | |-- expat.xml
| | | |-- include
| | | | |-- inline4
| | | | | `-- expat.h
| | | |-- interfaces
| | | | `-- expat.h
| | | |-- libraries
| | | | `-- expat.h
| | | `-- proto
| | |   `-- expat.h
| | |-- launch.c
| | |-- Makefile
| | |-- README.txt
| | `-- stdlib.c
|-- bcb5
| | |-- all_projects.bpg
| | |-- elements.bpf
| | |-- elements.bpr
| | |-- elements.mak
| | |-- expat.bpf
| | |-- expat.bpr
| | |-- expat.mak
| | |-- expat_static.bpf
| | |-- expat_static.bpr
| | |-- expat_static.mak
| | |-- expatw.bpf
| | |-- expatw.bpr
| | |-- expatw.mak
| | |-- expatw_static.bpf
| | |-- expatw_static.bpr
```

```
| | | | |-- expatw_static.mak
| | | | |-- libexpat_mtd.def
| | | | |-- libexpatw_mtd.def
| | | | |-- makefile.mak
| | | | |-- outline.bpf
| | | | |-- outline.bpr
| | | | |-- outline.mak
| | | | |-- README.txt
| | | | |-- setup.bat
| | | | |-- xmlwf.bpf
| | | | |-- xmlwf.bpr
| | | | `-- xmlwf.mak
| | | |-- Changes
| | | |-- configure
| | | |-- configure.in
| | | |-- conftools
| | | | |-- ac_c_bigendian_cross.m4
| | | | |-- config.guess
| | | | |-- config.sub
| | | | |-- expat.m4
| | | | |-- get-version.sh
| | | | |-- install-sh
| | | | |-- libtool.m4
| | | | |-- ltmain.sh
| | | | |-- mkinstalldirs
| | | | `-- PrintPath
| | | |-- COPYING
| | | |-- doc
| | | | |-- expat.png
| | | | |-- reference.html
| | | | |-- style.css
| | | | |-- valid-xhtml10.png
| | | | |-- xmlwf.1
| | | | `-- xmlwf.sgml
| | | |-- examples
| | | | |-- elements.c
| | | | |-- elements.dsp
| | | | |-- outline.c
| | | | `-- outline.dsp
| | | |-- expat_config.h.in
| | | |-- expat.dsw
| | | |-- lib
| | | | |-- amigaconfig.h
| | | | |-- ascii.h
| | | | |-- asciitab.h
| | | | |-- expat.dsp
| | | | |-- expat_external.h
| | | | |-- expat.h
| | | | |-- expat_static.dsp
| | | | |-- expatw.dsp
| | | | |-- expatw_static.dsp
| | | | |-- iasciitab.h
```

```
| | | | |-- internal.h
| | | | |-- latin1tab.h
| | | | |-- libexpat.def
| | | | |-- libexpatw.def
| | | | |-- macconfig.h
| | | | |-- Makefile.MPW
| | | | |-- nametab.h
| | | | |-- utf8tab.h
| | | | |-- winconfig.h
| | | | |-- xmlparse.c
| | | | |-- xmlrole.c
| | | | |-- xmlrole.h
| | | | |-- xmltok.c
| | | | |-- xmltok.h
| | | | |-- xmltok_impl.c
| | | | |-- xmltok_impl.h
| | | | `-- xmltok_ns.c
|-- Makefile.in
|-- MANIFEST
|-- README
|-- tests
| |-- benchmark
| | |-- benchmark.c
| | |-- benchmark.dsp
| | |-- benchmark.dsw
| | `-- README.txt
|-- chardata.c
|-- chardata.h
|-- minicheck.c
|-- minicheck.h
|-- README.txt
|-- runtests.c
|-- runtestspp.cpp
`-- xmltest.sh
|-- vms
| |-- descrip.mms
| |-- expat_config.h
| `-- README.vms
|-- win32
| |-- expat.iss
| |-- MANIFEST.txt
| `-- README.txt
`-- xmlwf
| |-- codepage.c
| |-- codepage.h
| |-- ct.c
| |-- filemap.h
| |-- readfilemap.c
| |-- unixfilemap.c
| |-- win32filemap.c
| |-- xmlfile.c
|-- xmlfile.h
```

```
| | | |-- xmlmime.c
| | | |-- xmlmime.h
| | | |-- xmltchar.h
| | | |-- xmlurl.h
| | | |-- xmlwf.c
| | | |-- xmlwf.dsp
| | | `-- xmlwin32url.cxx
|-- ghostscript-8.64.sln
|-- ghostscript-8.64.vcproj
|-- icclib
| |-- icc9809.h
| |-- icc.c
| |-- icc.h
| |-- Licence.txt
| |-- NOTES
| `-- Readme.txt
|-- ijs
| |-- autogen.sh
| |-- common.mak
| |-- configure.ac
| |-- ijs.c
| |-- ijs_client.c
| |-- ijs_client_example.c
| |-- ijs_client.h
| |-- ijs-config.1
| |-- ijs-config.in
| |-- ijs_exec_unix.c
| |-- ijs_exec_win.c
| |-- ijs.h
| |-- ijs.pc.in
| |-- ijs_server.c
| |-- ijs_server_example.c
| |-- ijs_server.h
| |-- ijs_spec.pdf
| |-- ijs_spec.ps
| |-- ijs_spec.sgml
| |-- Makefile.am
| |-- README
| |-- state.eps
| |-- state.fig
| |-- unistd_.h
| |-- unix.mak
| `-- windows.mak
|-- imdi
| |-- arch.h
| |-- cctiff.c
| |-- cgen.c
| |-- config.h
| |-- copyright.h
| |-- imdi.c
| |-- imdi_gen.c
| |-- imdi_gen.h
```

```

|-- imdi.h
|-- imdi_imp.h
|-- imdi_k.c
|-- imdi_k.h
|-- imdi_tab.c
|-- imdi_tab.h
|-- Jamfile
|-- LICENSE
`-- README
|-- jasper
|-- acaux
|-- compile
|-- config.guess
|-- config.sub
|-- depcomp
|-- install-sh
|-- ltmain.sh
`-- missing
|-- aclocal.m4
|-- config.log
|-- config.status
|-- configure
|-- configure.ac
|-- COPYRIGHT
|-- data
|-- colorprofiles
|-- erimm.icm
|-- esrgbgrey.icm
|-- esrgb.icm
|-- grey.icm
|-- greyromm.icm
|-- README
|-- romm.icm
|-- sgray.icm
|--
srgb.icm
`-- sycc.icm
|-- images
|-- example.mif
|-- example.mif0
|-- feep2.pnm
|-- feep.pnm
|-- goldenears.bmp
|-- goldenears_gray.jpg
|-- goldenears_gray.pnm
|-- goldenears_gray.ras
|-- goldenears.jpg
|-- goldenears.pnm
|-- goldenears.ras
|-- README
|-- small_16x1.pgm
|-- small_1x1.pgm

```

```
| | | | | |-- stawamuschief_gray.pnm
| | | | | |-- stawamuschief.pnm
| | | | | `-- test.pnm
| | | | | `-- Makefile.am
|-- doc
| | |-- jasper.pdf
| | |-- jpeg2000.pdf
| | `-- README
|-- INSTALL
|-- jasper.spec
|-- jasper.spec.in
|-- libtool
|-- LICENSE
|-- Makefile
|-- Makefile.am
|-- Makefile.in
|-- NEWS
|-- README
`-- src
    |-- appl
    | |-- dummy.c
    | |-- imgcmp.c
    | |-- imginfo.c
    | |-- jasper.c
    | |-- jasper_sdl.c
    | |-- jiv.c
    | |-- Makefile
    | |-- Makefile.am
    | `-- Makefile.in
    |-- libjasper
    | |-- base
    | | |-- jas_cm.c
    | | |-- jas_debug.c
    | | |-- jas_getopt.c
    | | |-- jas_icc.c
    | | |-- jas_iccdata.c
    | | |-- jas_image.c
    | | |-- jas_init.c
    | | |-- jas_malloc.c
    | | |-- jas_seq.c
    | | |-- jas_stream.c
    | | |-- jas_string.c
    | | |-- jas_tvp.c
    | | |-- jas_version.c
    | | |-- Makefile
    | | |-- Makefile.am
    | | `-- Makefile.in
    |-- bmp
    | |-- bmp_cod.c
    | |-- bmp_cod.h
    | |-- bmp_dec.c
    | |-- bmp_enc.c
```









```
| | | |-- config.h
| | | |-- config.h.in
| | | |-- config_types.h
| | | |-- config_types.h.in
| | | |-- configure
| | | |-- configure.ac
| | | |-- config_win32.h
| | | |-- COPYING
| | | |-- depcomp
| | | |-- getopt1.c
| | | |-- getopt.c
| | | |-- getopt.h
| | | |-- install-sh
| | | |-- jbig2_arith.c
| | | |-- jbig2_arith.h
| | | |-- jbig2_arith_iaid.c
| | | |-- jbig2_arith_iaid.h
| | | |-- jbig2_arith_int.c
| | | |-- jbig2_arith_int.h
| | | |-- jbig2.c
| | | |-- jbig2dec.c
| | | |-- jbig2_generic.c
| | | |-- jbig2_generic.h
| | | |-- jbig2.h
| | | |-- jbig2_huffman.c
| | | |-- jbig2_huffman.h
| | | |-- jbig2_hufftab.h
| | | |-- jbig2_image.c
| | | |-- jbig2_image.h
| | | |-- jbig2_image_pbm.c
| | | |-- jbig2_image_png.c
| | | |-- jbig2_metadata.c
| | | |-- jbig2_metadata.h
| | | |-- jbig2_mmr.c
| | | |-- jbig2_mmr.h
| | | |-- jbig2_page.c
| | | |-- jbig2_priv.h
| | | |-- jbig2_refinement.c
| | | |-- jbig2_segment.c
| | | |-- jbig2_symbol_dict.c
| | | |-- jbig2_symbol_dict.h
| | | |-- jbig2_text.c
| | | |-- jbig2_text.h
| | | |-- LICENSE
| | | |-- Makefile.am
| | | |-- Makefile.in
| | | |-- memcmp.c
| | | |-- missing
| | | |-- msvc.mak
| | | |-- os_types.h
| | | |-- README
| | | |-- sha1.c
```

```
| | | |-- sha1.h
| | | |-- snprintf.c
| | | `-- test_jbig2dec.py
| | |-- jpeg
|
| | |-- ansi2knr.l
| | |-- ansi2knr.c
| | |-- cderror.h
| | |-- cdjpeg.c
| | |-- cdjpeg.h
| | |-- change.log
| | |-- cjpeg.l
| | |-- cjpeg.c
| | |-- ckconfig.c
| | |-- coderules.doc
| | |-- config.guess
| | |-- config.sub
| | |-- configure
| | |-- djpeg.l
| | |-- djpeg.c
| | |-- example.c
| | |-- filelist.doc
| | |-- install.doc
| | |-- install-sh
| | |-- jcapimin.c
| | |-- jcapistd.c
| | |-- jccoefct.c
| | |-- jccolor.c
| | |-- jcdctmgr.c
| | |-- jchuff.c
| | |-- jchuff.h
| | |-- jcinit.c
| | |-- jcmaint.c
| | |-- jcmarker.c
| | |-- jcmaster.c
| | |-- jcomapi.c
| | |-- jconfig.bcc
| | |-- jconfig.cfg
| | |-- jconfig.dj
| | |-- jconfig.doc
| | |-- jconfig.mac
| | |-- jconfig.manx
| | |-- jconfig.mc6
| | |-- jconfig.sas
| | |-- jconfig.st
| | |-- jconfig.vc
| | |-- jconfig.vms
| | |-- jconfig.wat
| | |-- jcparam.c
| | |-- jcphuff.c
| | |-- jcprepct.c
| | |-- jcsample.c
```

```
| | | |-- jctrans.c
| | | |-- jdapimin.c
| | | |-- jdapistd.c
| | | |-- jdatadst.c
| | | |-- jdatasrc.c
| | | |-- jdcoefct.c
| | | |-- jdcolor.c
| | | |-- jdct.h
| | | |-- jddctmgr.c
| | | |-- jd Huff.c
| | | |-- jd Huff.h
| | | |-- jdinput.c
| | | |-- jdmainct.c
| | | |-- jdmarker.c
| | | |-- jdmaster.c
| | | |-- jdmerge.c
| | | |-- jdphuff.c
| | | |-- jdpostct.c
| | | |-- jdsample.c
| | | |-- jdtrans.c
| | | |-- jerror.c
| | | |-- jerror.h
| | | |-- jfdctflt.c
| | | |-- jfdctfst.c
| | | |-- jfdctint.c
| | | |-- jidctflt.c
| | | |-- jidctfst.c
| | | |-- jidctint.c
| | | |-- jidctred.c
| | | |-- jinclude.h
| | | |-- jmemansi.c
| | | |-- jmemdosa.asm
| | | |-- jmemdos.c
| | | |-- jmemmac.c
| | | |-- jmemmgr.c
| | | |-- jmemname.c
| | | |-- jmemnobs.c
| | | |-- jmemsys.h
| | | |-- jmorecfg.h
| | | |-- jpegint.h
| | | |-- jpeglib.h
| | | |-- jpegtran.1
| | | |-- jpegtran.c
| | | |-- jquant1.c
| | | |-- jquant2.c
| | | |-- jutils.c
| | | |-- jversion.h
| | | |-- libjpeg.doc
| | | |-- ltconfig
| | | |-- ltmain.sh
| | | |-- makcjpeg.st
| | | |-- makdjpeg.st
```

```
| | | |-- makeapps.ds
| | | |-- makefile.ansi
| | | |-- makefile.bcc
| | | |-- makefile.cfg
| | | |-- makefile.dj
| | | |-- makefile.manx
| | | |-- makefile.mc6
| | | |-- makefile.mms
| | | |-- makefile.sas
| | | |-- makefile.unix
| | | |-- makefile.vc
| | | |-- makefile.vms
| | | |-- makefile.wat
| | | |-- makelib.ds
| | | |-- makeproj.mac
| | | |-- makljpeg.st
| | | |-- maktjpeg.st
| | | |-- makvms.opt
| | | |-- rdbmp.c
| | | |-- rdcolmap.c
| | | |-- rdgif.c
| | | |-- rdjpgcom.1
| | | |-- rdjpgcom.c
| | | |-- rdppm.c
| | | |-- rdrle.c
| | | |-- rdswitch.c
| | | |-- rdtarga.c
| | | |-- README
| | | |-- structure.doc
| | | |-- testing.bmp
| | | |-- testing.jpg
| | | |-- testingp.jpg
| | | |-- testing.ppm
| | | |-- testorig.jpg
| | | |-- testprog.jpg
| | | |-- transupp.c
| | | |-- transupp.h
| | | |-- usage.doc
| | | |-- wizard.doc
| | | |-- wrbmp.c
| | | |-- wrgif.c
| | | |-- wrjpgcom.1
| | | |-- wrjpgcom.c
| | | |-- wrppm.c
| | | |-- wrtle.c
| | | |-- wrtarga.c
|-- lib
| | | |-- acctest.ps
| | | |-- addxchar.ps
| | | |-- afmdiff.awk
| | | |-- align.ps
| | | |-- bdf tops
```

```
| | | |-- bdftops.bat
| | | |-- bdftops.cmd
| | | |-- bdftops.ps
| | | |-- bj8gc12f.upp
| | | |-- bj8hg12f.upp
| | | |-- bj8oh06n.upp
| | | |-- bj8pa06n.upp
| | | |-- bj8pp12f.upp
| | | |-- bj8.rpd
| | | |-- bj8ts06n.upp
| | | |-- bjc610a0.upp
| | | |-- bjc610a1.upp
| | | |-- bjc610a2.upp
| | | |-- bjc610a3.upp
| | | |-- bjc610a4.upp
| | | |-- bjc610a5.upp
| | | |-- bjc610a6.upp
| | | |-- bjc610a7.upp
| | | |-- bjc610a8.upp
| | | |-- bjc610b1.upp
| | | |-- bjc610b2.upp
| | | |-- bjc610b3.upp
| | | |-- bjc610b4.upp
| | | |-- bjc610b6.upp
| | | |-- bjc610b7.upp
| | | |-- bjc610b8.upp
| | | |-- caption.ps
| | | |-- cbjc600.ppd
| | | |-- cbjc800.ppd
| | | |-- cdj550.upp
| | | |-- cdj690ec.upp
| | | |-- cdj690.upp
| | | |-- cid2code.ps
| | | |-- decrypt.ps
| | | |-- dnj750c.upp
| | | |-- dnj750m.upp
| | | |-- docie.ps
| | | |-- dumphint
| | | |-- dumphint.bat
| | | |-- dumphint.ps
| | | |-- dvipdf
| | | |-- EndOfTask.ps
| | | |-- eps2eps
| | | |-- eps2eps.bat
| | | |-- eps2eps.cmd
| | | |-- FAPIcidfmap
| | | |-- FAPIconfig
| | | |-- FAPIconfig-FCO
| | | |-- FAPIfontmap
| | | |-- FCOfontmap-PCLPS3
| | | |-- FCOfontmap-PS3
| | | |-- fixmswrd.pl
```

```
| | | |-- font2c
| | | |-- font2c.bat
| | | |-- font2c.cmd
| | | |-- font2c.ps
| | | |-- font2pcl.ps
| | | |-- Fontmap.ATB
| | | |-- Fontmap.ATM
| | | |-- Fontmap.OS2
| | | |-- Fontmap.OSF
| | | |-- Fontmap.SGI
| | | |-- Fontmap.Sol
| | | |-- Fontmap.Ult
| | | |-- Fontmap.VMS
| | | |-- ghostpdf.inf
| | | |-- ghostpdf.ppd
| | | |-- gsbj
| | | |-- gsbj.bat
| | | |-- gs_ce_e.ps
| | | |-- gs_cmdl.ps
| | | |-- gsdj
| | | |-- gsdj500
| | | |-- gsdj500.bat
| | | |-- gsdj.bat
| | | |-- gs_fform.ps
| | | |-- gs_il2_e.ps
| | | |-- gs_kanji.ps
| | | |-- gs_ksb_e.ps
| | | |-- gs_lgo_e.ps
| | | |-- gs_lgx_e.ps
| | | |-- gslj
| | | |-- gslj.bat
| | | |-- gs_l_m.xbm
| | | |-- gslp
| | | |-- gslp.bat
| | | |-- gslp.ps
| | | |-- gs_l.xbm
| | | |-- gs_l.xpm
| | | |-- gs_m_m.xbm
| | | |-- gs_m.xbm
| | | |-- gs_m.xpm
| | | |-- gsnd
| | | |-- gsnd.bat
| | | |-- gsndt.bat
| | | |-- gsnup.ps
| | | |-- gs_pfile.ps
| | | |-- gs_rdlin.ps
| | | |-- gssetgs.bat
| | | |-- gs_s_m.xbm
| | | |-- gs_s.xbm
| | | |-- gs_s.xpm
| | | |-- gst.bat
| | | |-- gs_t_m.xbm
```



```
| | | |-- gstd.bat  
| | | |-- gs_t.xbm  
| | | |-- gs_t.xpm  
| | | |-- gs_w11_e.ps  
| | | |-- gs_w12_e.ps  
| | | |-- gs_w15_e.ps  
| | | |-- ht_ccsto.ps  
| | | |-- image-qa.ps  
| | | |-- impath.ps  
| | | |-- Info-macos.plist  
| | | |-- jispaper.ps  
| | | |-- jobseparator.ps  
| | | |-- landscap.ps  
| | | |-- level1.ps  
| | | |-- lines.ps  
| | | |-- lp386.bat  
| | | |-- lp386r2.bat  
| | | |-- lpgs.bat  
| | | |-- lpr2.bat  
| | | |-- lprsetup.sh  
| | | |-- markhint.ps  
| | | |-- markpath.ps  
| | | |-- mkcidfm.ps  
| | | |-- necp2x6.upp  
| | | |-- necp2x.upp  
| | | |-- packfile.ps  
| | | |-- pcharstr.ps  
| | | |-- pdf2dsc  
| | | |-- pdf2dsc.bat  
| | | |-- pdf2dsc.ps  
| | | |-- pdf2ps  
| | | |-- pdf2ps.bat  
| | | |-- pdf2ps.cmd  
| | | |-- PDF_A_def.ps  
| | | |-- pdfopt  
| | | |-- pdfopt.bat  
| | | |-- pdfopt.ps  
| | | |-- pdfwrite.ps  
| | | |-- PDF_X_def.ps  
| | | |-- pf2afm  
| | | |-- pf2afm.bat  
| | | |-- pf2afm.cmd  
| | | |-- pf2afm.ps  
| | | |-- pfbtopfa  
| | | |-- pfbtopfa.bat  
| | | |-- pfbtopfa.ps  
| | | |-- pftogsf.bat  
| | | |-- ppath.ps  
| | | |-- pphs  
| | | |-- pphs.ps  
| | | |-- prfont.ps  
| | | |-- printafm
```

```
| | | |-- printafm.ps
| | | |-- ps2ai.ps
| | | |-- ps2ascii
| | | |-- ps2ascii.bat
| | | |-- ps2ascii.cmd
| | | |-- ps2ascii.ps
| | | |-- ps2epsi
| | | |-- ps2epsi.bat
| | | |-- ps2epsi.cmd
| | | |-- ps2epsi.ps
| | | |-- ps2pdf
| | | |-- ps2pdf12
| | | |-- ps2pdf12.bat
| | | |-- ps2pdf12.cmd
| | | |-- ps2pdf13
| | | |-- ps2pdf13.bat
| | | |-- ps2pdf13.cmd
| | | |-- ps2pdf14
| | | |-- ps2pdf14.bat
| | | |-- ps2pdf14.cmd
| | | |-- ps2pdf.bat
| | | |-- ps2pdf.cmd
| | | |-- ps2pdfwr
| | | |-- ps2pdfxx.bat
| | | |-- ps2ps
| | | |-- ps2ps2
| | | |-- ps2ps2.bat
| | | |-- ps2ps2.cmd
| | | |-- ps2ps.bat
| | | |-- ps2ps.cmd
| | | |-- pv.sh
| | | |-- quit.ps
| | | |-- ras1.upp
| | | |-- ras24.upp
| | | |-- ras32.upp
| | | |-- ras3.upp
| | | |-- ras4.upp
| | | |-- ras8m.upp
| | | |-- rinkj-2200-setup
| | | |-- rollconv.ps
| | | |-- showchar.ps
| | | |-- showpage.ps
| | | |-- st640ihg.upp
| | | |-- st640ih.upp
| | | |-- st640pg.upp
| | | |-- st640plg.upp
| | | |-- st640pl.upp
| | | |-- st640p.upp
| | | |-- stc1520h.upp
| | | |-- stc200_h.upp
| | | |-- stc2_h.upp
| | | |-- stc2s_h.upp
```

```
| | | |-- stc2.upp
| | | |-- stc300bl.upp
| | | |-- stc300bm.upp
| | | |-- stc300.upp
| | | |-- stc500ph.upp
| | | |-- stc500p.upp
| | | |-- stc600ih.upp
| | | |-- stc600pl.upp
| | | |-- stc600p.upp
|
| | | |-- stc640p.upp
| | | |-- stc800ih.upp
| | | |-- stc800pl.upp
| | | |-- stc800p.upp
| | | |-- stcany_h.upp
| | | |-- stcany.upp
| | | |-- stc_h.upp
| | | |-- stcinfo.ps
| | | |-- stc_l.upp
| | | |-- stcolor.ps
| | | |-- stc.upp
| | | |-- stocht.ps
| | | |-- traceimg.ps
| | | |-- traceop.ps
| | | |-- type1enc.ps
| | | |-- type1ops.ps
| | | |-- uninfo.ps
| | | |-- unix-lpr.sh
| | | |-- unprot.ps
| | | |-- viewcmyk.ps
| | | |-- viewgif.ps
| | | |-- viewjpeg.ps
| | | |-- viewmiff.ps
| | | |-- viewpbm.ps
| | | |-- viewpcx.ps
| | | |-- viewps2a.ps
| | | |-- wftopfa
| | | |-- wftopfa.ps
| | | |-- winmaps.ps
| | | |-- wmakebat.bat
| | | |-- wrfont.ps
| | | `-- zeroline.ps
|-- libpng
| | | |-- ANNOUNCE
| | | |-- CHANGES
| | | |-- configure
| | | |-- contrib
| | | | |-- gregbook
| | | | | |-- COPYING
| | | | | |-- LICENSE
| | | | | |-- Makefile.mingw32
| | | | | |-- Makefile.sgi
```

```
| | | | | |-- Makefile.unx
| | | | | |-- Makefile.w32
| | | | | |-- makevms.com
| | | | | |-- README
| | | | | |-- readpng2.c
| | | | | |-- readpng2.h
| | | | | |-- readpng.c
| | | | | |-- readpng.h
| | | | | |-- readppm.c
| | | | | |-- rpng2-win.c
| | | | | |-- rpng2-x.c
| | | | | |-- rpng-win.c
| | | | | |-- rpng-x.c
| | | | | |-- toucan.png
| | | | | |-- wpng.c
| | | | | |-- writepng.c
| | | | | `-- writepng.h
|-- pngminim
| |-- decoder
| | |-- gather.sh
| | |-- makefile.std
| | |-- pngusr.h
| | `-- README
|-- encoder
| |-- dummy_inflate.c
| |-- gather.sh
| |-- makefile.std
| |-- pngusr.h
| `-- README
|-- pngminus
| |-- makefile.std
| |-- makefile.tc3
| |-- makevms.com
| |-- png2pnm.bat
| |-- png2pnm.c
| |-- png2pnm.sh
| |-- pngminus.bat
| |-- pngminus.sh
| |-- pnm2png.bat
| |-- pnm2png.c
| |-- pnm2png.sh
| `-- README
|-- pngsuite
| |-- basn0g01.png
| |-- basn0g02.png
| |-- basn0g04.png
| |-- basn0g08.png
| |-- basn0g16.png
| |-- basn2c08.png
| |-- basn2c16.png
| |-- basn3p01.png
| |-- basn3p02.png
```

```
| | | | | |-- basn3p04.png
| | | | | |-- basn3p08.png
| | | | | |-- basn4a08.png
| | | | | |-- basn4a16.png
| | | | | |-- basn6a08.png
| | | | | |-- basn6a16.png
| | | | | `-- README
| | | | | `-- visupng
| | | | | |-- cexcept.h
| | | | | |-- PngFile.c
| | | | | |-- PngFile.h
| | | | | |-- README.txt
| | | | | |-- resource.h
| | | | | |-- VisualPng.c
| | | | | |-- VisualPng.dsp
| | | | | |-- VisualPng.dsw
| | | | | |-- VisualPng.ico
| | | | | |-- VisualPng.png
| | | | | `-- VisualPng.rc
| | | |-- example.c
| | | |-- INSTALL
| | | |-- KNOWNBUG
| | | |-- libpng-1.2.22.txt
| | | |-- libpng.3
| | | |-- libpngpf.3
| | | |-- LICENSE
| | | |-- png.5
| | | |-- pngbar.jpg
| | | |-- pngbar.png
| | | |-- png.c
| | | |-- pngconf.h
| | | |-- pngerror.c
| | | |-- pnggccrd.c
| | | |-- pngget.c
| | | |-- png.h
| | | |-- pngmem.c
| | | |-- pngnow.png
| | | |-- pngpread.c
| | | |-- pngread.c
| | | |-- pngrio.c
| | | |-- pngtran.c
| | | |-- pngutil.c
| | | |-- pngset.c
| | | |-- pngtest.c
| | | |-- pngtest.png
| | | |-- pngtrans.c
| | | |-- pngvcrd.c
| | | |-- pngwio.c
| | | |-- pngwrite.c
| | | |-- pngwtran.c
| | | |-- pngwutil.c
| | | |-- projects
```

```
| | | | |-- beos
| | | | |-- x86-shared.proj
| | | | |-- x86-shared.txt
| | | | |-- x86-static.proj
| | | | `-- x86-static.txt
| | | | |-- cbuilder5
| | | | |-- libpng.bpf
| | | | |-- libpng.bpg
| | | | |-- libpng.bpr
| | | | |-- libpng.cpp
| | | | |-- libpng.readme.txt
| | | | |-- libpngstat.bpf
| | | | |-- libpngstat.bpr
| | | | `-- zlib.readme.txt
| | | |-- netware.txt
| | | |-- visualc6
| | | | |-- libpng.dsp
| | | | |-- libpng.dsw
| | | | |-- pngtest.dsp
| | | | `-- README.txt
| | | |-- visualc71
| | | | |-- libpng.sln
| | | | |-- libpng.vcproj
| | | | |-- pngtest.vcproj
| | | | |-- PRJ0041.mak
| | | | |-- README.txt
| | | | |-- README_zlib.txt
| | | | `-- zlib.vcproj
| | | `-- wince.txt
| | |-- README
| | |-- scripts
| | | |-- CMakeLists.txt
| | | |-- descrip.mms
| | | |-- libpng-config-body.in
| | | |-- libpng-config-head.in
| | | |-- libpng-config.in
| | | |-- libpng.icc
| | | |-- libpng.pc-configure.in
| | | |-- libpng.pc.in
| | | |-- makefile.32sunu
| | | |-- makefile.64sunu
| | | |-- makefile.acorn
| | | |-- makefile.aix
| | | |-- makefile.amiga
| | | |-- makefile.atari
| | | |-- makefile.bc32
| | | |-- makefile.beos
| | | |-- makefile.bor
| | | |-- makefile.cygwin
| | | |-- makefile.darwin
| | | |-- makefile.dec
| | | |-- makefile.dj2
```

```
| | | | |-- makefile.elf
| | | | |-- makefile.freebsd
| | | | |-- makefile.gcc
| | | | |-- makefile.gcmmx
| | | | |-- makefile.hp64
| | | | |-- makefile.hpgcc
| | | | |-- makefile.hpux
| | | | |-- makefile.ibmz
| | | | |-- makefile.intel
| | | | |-- makefile.knr
| | | | |-- makefile.linux
| | | | |-- makefile.mingw
| | | | |-- makefile.mips
| | | | |-- makefile.msc
| | | | |-- makefile.ne12bsd
| | | | |-- makefile.netbsd
| | | | |-- makefile.nommx
| | | | |-- makefile.openbsd
| | | | |-- makefile.os2
| | | | |-- makefile.sco
| | | | |-- makefile.sggcc
| | | | |-- makefile.sgi
| | | | |-- makefile.so9
| | | | |-- makefile.solaris
| | | | |-- makefile.solaris-x86
| | | | |-- makefile.std
| | | | |-- makefile.sunos
| | | | |-- makefile.tc3
| | | | |-- makefile.vcwin32
| | | | |-- makefile.vcwin32
| | | | |-- makefile.watcom
| | | | |-- makevms.com
| | | | |-- pngos2.def
| | | | |-- pngw32.def
| | | | |-- pngw32.rc
| | | | |-- SCOPTIONS.ppc
| | | | `-- smakefile.ppc
| | | |-- TODO
| | | `-- Y2KINFO
|-- LICENSE
|-- Makefile.in
|-- man
|-- de
| | | |-- dvipdf.1
| | | |-- font2c.1
| | | |-- gsnd.1
| | | |-- pdf2dsc.1
| | | |-- pdf2ps.1
| | | |-- pdfopt.1
| | | |-- printafm.1
| | | |-- ps2ascii.1
| | | |-- ps2pdf.1
```

```
| | | |-- ps2ps.1
| | | |-- wftopfa.1
| | | |-- dvipdf.1
| | | |-- eps2eps.1
| | | |-- font2c.1
| | | |-- gs.1
| | | |-- gslp.1
| | | |-- gsnd.1
| | | |-- pdf2dsc.1
| | | |-- pdf2ps.1
| | | |-- pdfopt.1
| | | |-- pf2afm.1
| | | |-- pfbtopfa.1
| | | |-- printafm.1
| | | |-- ps2ascii.1
| | | |-- ps2epsi.1
| | | |-- ps2pdf.1
| | | |-- ps2pdfwr.1
| | | |-- ps2ps.1
| | | |-- wftopfa.1
|-- oki
| | |-- oki.mak
| | |-- pldict.c
| | |-- pldict.h
| | |-- plfont.c
| | |-- plfont.h
| | |-- plftable.c
| | |-- plftable.h
| | |-- pllfont.c
| | |-- pllfont.h
| | |-- pllrfont.c
| | |-- plsymbol.c
| | |-- plsymbol.h
| | |-- pltop.c
| | |-- pltop.h
| | |-- plvalue.c
| | |-- plvalue.h
| | |-- plvocab.c
| | |-- plvocab.h
| | |-- pxattr.h
| | |-- pxdict.h
| | |-- pxenum.h
| | |-- pxerrors.c
| | |-- pxerrors.h
| | |-- pxffont.c
| | |-- pxfont.c
| | |-- pxfont.h
| | |-- pxgstate.h
| | |-- pxlex.mak
| | |-- pxokifont.c
| | |-- pxokifont.h
| | |-- pxoper.h
```



```
| | | |-- pxrfont.c
| | | |-- pxrfont.h
| | | |-- pxstate.c
| | | |-- pxstate.h
| | | |-- pxvalue.c
| | | `-- pxvalue.h
| | |-- psi
| | | |-- bfont.h
| | | |-- btoken.h
| | | |-- dpmain.c
| | | |-- dscparse.c
| | | |-- dscparse.h
| | | |-- dstack.h
| | | |-- dw32c.def
| | | |-- dwdll.c
| | | |-- dwdll.h
| | | |-- dwimg.c
| | | |-- dwimg.h
| | | |-- dwinst.cpp
| | | |-- dwinst.h
| | | |-- dwmain32.def
| | | |-- dwmain.c
|
| | |-- dwmainc.c
| | |-- dwmain.rc
| | |-- dwnodll.c
| | |-- dwreg.c
| | |-- dwreg.h
| | |-- dwres.h
| | |-- dwsetup.cpp
| | |-- dwsetup.def
| | |-- dwsetup.h
| | |-- dwsetup.rc
| | |-- dwtext.c
| | |-- dwtext.h
| | |-- dwtrace.c
| | |-- dwtrace.h
| | |-- dwuninst.cpp
| | |-- dwuninst.def
| | |-- dwuninst.h
| | |-- dwuninst.rc
| | |-- dxmain.c
| | |-- dxmainc.c
| | |-- estack.h
| | |-- fapi_ft.c
| | |-- fapiufst.c
| | |-- files.h
| | |-- ghost.h
| | |-- gs.c
| | |-- gsdll2.def
| | |-- gsdll2.rc
| | |-- gsdll32.def
```

```
| | | |-- gsdl132.rc
| | | |-- gsdl132w.lnk
| | | |-- gsdl1.c
| | | |-- gserver.c
| | | |-- gsos2.def
| | | |-- gsos2.icx
| | | |-- gsos2.rc
| | | |-- ialloc.c
| | | |-- ialloc.h
| | | |-- iapi.c
| | | |-- iapi.h
| | | |-- iastate.h
| | | |-- iastruct.h
| | | |-- ibnum.c
| | | |-- ibnum.h
| | | |-- ichar1.h
| | | |-- ichar.h
| | | |-- icharout.h
| | | |-- icid.h
| | | |-- icie.h
| | | |-- icolor.h
| | | |-- iconf.c
| | | |-- iconf.h
| | | |-- icontext.c
| | | |-- icontext.h
| | | |-- icremap.h
| | | |-- icsmap.h
| | | |-- icstate.h
| | | |-- iddict.h
| | | |-- iddstack.h
| | | |-- idebug.c
| | | |-- idebug.h
| | | |-- idict.c
| | | |-- idictdef.h
| | | |-- idict.h
| | | |-- idicttpl.h
| | | |-- idisp.c
| | | |-- idisp.h
| | | |-- idosave.h
| | | |-- idparam.c
| | | |-- idparam.h
| | | |-- idsdata.h
| | | |-- idstack.c
| | | |-- idstack.h
| | | |-- ierrors.h
| | | |-- iesdata.h
| | | |-- iestack.h
| | | |-- ifapi.h
| | | |-- ifcid.h
| | | |-- ifilter2.h
| | | |-- ifilter.h
| | | |-- ifont1.h
```

```
| | | |-- ifont2.h
| | | |-- ifont42.h
| | | |-- ifont.h
| | | |-- ifrpred.h
| | | |-- ifunc.h
| | | |-- ifwpred.h
| | | |-- igc.c
| | | |-- igc.h
| | | |-- igcref.c
| | | |-- igcstr.c
| | | |-- igcstr.h
| | | |-- igstate.h
| | | |-- iht.h
| | | |-- iimage2.h
| | | |-- iimage.h
| | | |-- iinit.c
| | | |-- iinit.h
| | | |-- ilevel.h
| | | |-- ilocate.c
| | | |-- imainarg.c
| | | |-- imainarg.h
| | | |-- imain.c
| | | |-- imain.h
| | | |-- imemory.h
| | | |-- iminst.h
| | | |-- iname.c
| | | |-- inamedef.h
| | | |-- iname.h
| | | |-- inameidx.h
| | | |-- inames.h
| | | |-- inamestr.h
| | | |-- inobtkn.c
| | | |-- inouparm.c
| | | |-- interp.c
| | | |-- interp.h
| | | |-- int.mak
| | | |-- iosdata.h
| | | |-- iostack.h
| | | |-- ipacked.h
| | | |-- iparam.c
| | | |-- iparam.h
| | | |-- iparray.h
| | | |-- ipcolor.h
| | | |-- iplugin.c
| | | |-- iplugin.h
| | | |-- ireclaim.c
| | | |-- iref.h
| | | |-- isave.c
| | | |-- isave.h
| | | |-- iscanbin.c
| | | |-- iscanbin.h
| | | |-- iscan.c
```

```
| | | |-- iscan.h
| | | |-- iscannum.c
| | | |-- iscannum.h
| | | |-- isdata.h
| | | |-- isstate.h
| | | |-- istack.c
| | | |-- istack.h
| | | |-- istkparm.h
| | | |-- istream.h
| | | |-- istruct.h
| | | |-- itoken.h
| | | |-- iutil2.c
| | | |-- iutil2.h
| | | |-- iutil.c
| | | |-- iutil.h
| | | |-- ivmem2.h
| | | |-- ivmspace.h
| | | |-- main.h
| | | |-- msvc32.mak
| | | |-- oparc.h
| | | |-- opcheck.h
| | | |-- opdef.h
| | | |-- oper.h
| | | |-- opextern.h
| | | |-- os2.mak
| | | |-- ostack.h
| | | |-- psromfs.mak
| | | |-- sfilter1.c
| | | |-- store.h
| | | |-- winint.mak
| | | |-- zalg.c
| | | |-- zarith.c
| | | |-- zarray.c
| | | |-- zbfont.c
| | | |-- zbseq.c
| | | |-- zcfont.c
| | | |-- zchar1.c
| | | |-- zchar2.c
| | | |-- zchar32.c
| | | |-- zchar42.c
| | | |-- zchar42.h
| | | |-- zchar.c
| | | |-- zcharout.c
| | | |-- zcharx.c
| | | |-- zcid.c
| | | |-- zcidtest.c
| | | |-- zcie.c
| | | |-- zcie.h
| | | |-- zcolor1.c
| | | |-- zcolor2.c
| | | |-- zcolor3.c
| | | |-- zcolor.c
```

```
| | | |-- zcolor.h
| | | |-- zcontext.c
| | | |-- zcontrol.c
| | | |-- zcrd.c
| | | |-- zcsdevn.c
| | | |-- zcsindex.c
| | | |-- zcspixel.c
| | | |-- zcssepr.c
| | | |-- zdevcal.c
| | | |-- zdevice2.c
| | | |-- zdevice.c
| | | |-- zdfilter.c
| | | |-- zdict.c
| | | |-- zdosio.c
| | | |-- zdoube.c
| | | |-- zdpnext.c
| | | |-- zdps1.c
| | | |-- zdps.c
| | | |-- zdsepars.c
| | | |-- zfaes.c
| | | |-- zfapi.c
| | | |-- zfar4.c
| | | |-- zfbcp.c
| | | |-- zfcid0.c
| | | |-- zfcid1.c
| | | |-- zfcid.c
| | | |-- zfcmap.c
| | | |-- zfdctd.c
| | | |-- zfdcte.c
| | | |-- zfdecode.c
| | | |-- zfile1.c
| | | |-- zfile.c
| | | |-- zfile.h
| | | |-- zfileio.c
| | | |-- zfilter2.c
| | | |-- zfilter.c
| | | |-- zfilterx.c
| | | |-- zfimscale.c
| | | |-- zfjbig2.c
| | | |-- zfjpx.c
| | | |-- zfmd5.c
| | | |-- zfont0.c
| | | |-- zfont1.c
| | | |-- zfont2.c
| | | |-- zfont32.c
| | | |-- zfont42.c
| | | |-- zfont.c
| | | |-- zfontenum.c
| | | |-- zfproc.c
| | | |-- zfrsd.c
| | | |-- zfsample.c
| | | |-- zfunc0.c
```

```
| | | |-- zfunc3.c
| | | |-- zfunc4.c
| | | |-- zfunc.c
| | | |-- zfunc.h
| | | |-- zflib.c
| | | |-- zgeneric.c
| | | |-- zgstate.c
| | | |-- zhsb.c
| | | |-- zht1.c
| | | |-- zht2.c
| | | |-- zht2.h
| | | |-- zht.c
| | | |-- zicc.c
| | | |-- zicc.h
| | | |-- zimage2.c
| | | |-- zimage3.c
| | | |-- zimage.c
| | | |-- ziodev2.c
| | | |-- ziodev.c
| | | |-- ziodevs.c
| | | |-- ziodevsc.c
| | | |-- zmath.c
| | | |-- zmatrix.c
| | | |-- zmedia2.c
| | | |-- zmisc1.c
| | | |-- zmisc2.c
| | | |-- zmisc3.c
| | | |-- zmisc.c
| | | |-- zncdummy.c
| | | |-- zpacked.c
| | | |-- zpaint.c
| | | |-- zpath1.c
| | | |-- zpath.c
| | | |-- zpcolor.c
| | | |-- zrelbit.c
| | | |-- zrop.c
| | | |-- zshade.c
| | | |-- zstack.c
| | | |-- zstring.c
| | | |-- zsysvm.c
| | | |-- ztoken.c
| | | |-- ztrans.c
| | | |-- ztrap.c
| | | |-- ztype.c
| | | |-- zupath.c
| | | |-- zusparam.c
| | | |-- zvmem2.c
| | | `-- zvmem.c
|-- Resource
| |-- CMap
| | |-- 78-EUC-H
| | |-- 78-EUC-V
```

| | | | |-- 78-H  
| | | | |-- 78ms-RKSJ-H  
| | | | |-- 78ms-RKSJ-V  
| | | | |-- 78-RKSJ-H  
| | | | |-- 78-RKSJ-V  
| | | | |-- 78-V  
| | | | |-- 83pv-RKSJ-H  
| | | | |-- 90msp-RKSJ-H  
| | | | |-- 90msp-RKSJ-V  
| | | | |-- 90ms-RKSJ-H  
| | | | |-- 90ms-RKSJ-UCS2  
| | | | |-- 90ms-RKSJ-V  
| | | | |-- 90pv-RKSJ-H  
| | | | |-- 90pv-RKSJ-UCS2  
| | | | |-- 90pv-RKSJ-UCS2C  
| | | | |-- 90pv-RKSJ-V  
| | | | |-- Add-H  
| | | | |-- Add-RKSJ-H  
| | | | |-- Add-RKSJ-V  
| | | | |-- Add-V  
| | | | |-- Adobe-CNS1-0  
| | | | |-- Adobe-CNS1-1  
| | | | |-- Adobe-CNS1-2  
| | | | |-- Adobe-CNS1-3  
| | | | |-- Adobe-CNS1-4  
| | | | |-- Adobe-CNS1-5  
| | | | |-- Adobe-CNS1-B5pc  
| | | | |-- Adobe-CNS1-ETenms-B5  
| | | | |-- Adobe-CNS1-H-CID  
| | | | |-- Adobe-CNS1-H-Host  
| | | | |-- Adobe-CNS1-H-Mac  
| | | | |-- Adobe-CNS1-UCS2  
| | | | |-- Adobe-GB1-0  
| | | | |-- Adobe-GB1-1  
| | | | |-- Adobe-GB1-2  
| | | | |-- Adobe-GB1-3  
| | | | |-- Adobe-GB1-4  
| | | | |-- Adobe-GB1-5  
| | | | |-- Adobe-GB1-GBK-EUC  
| | | | |-- Adobe-GB1-GBpc-EUC  
| | | | |-- Adobe-GB1-H-CID  
| | | | |-- Adobe-GB1-H-Host  
| | | | |-- Adobe-GB1-H-Mac  
| | | | |-- Adobe-GB1-UCS2  
| | | | |-- Adobe-Japan1-0  
| | | | |-- Adobe-Japan1-1  
| | | | |-- Adobe-Japan1-2  
| | | | |-- Adobe-Japan1-3  
| | | | |-- Adobe-Japan1-4  
| | | | |-- Adobe-Japan1-5  
| | | | |-- Adobe-Japan1-6  
| | | | |-- Adobe-Japan1-90ms-RKSJ

| | | | |-- Adobe-Japan1-90pv-RKSJ  
| | | | |-- Adobe-Japan1-H-CID  
| | | | |-- Adobe-Japan1-H-Host  
| | | | |-- Adobe-Japan1-H-Mac  
| | | | |-- Adobe-Japan1-PS-H  
| | | | |-- Adobe-Japan1-PS-V  
| | | | |-- Adobe-Japan1-UCS2  
| | | | |-- Adobe-Japan2-0  
| | | | |-- Adobe-Korea1-0  
| | | | |-- Adobe-Korea1-1  
| | | | |-- Adobe-Korea1-2  
| | | | |-- Adobe-Korea1-H-CID  
| | | | |-- Adobe-Korea1-H-Host  
| | | | |-- Adobe-Korea1-H-Mac  
| | | | |-- Adobe-Korea1-KSCms-UHC  
| | | | |-- Adobe-Korea1-KSCpc-EUC  
| | | | |-- Adobe-Korea1-UCS2  
| | | | |-- B5-H  
| | | | |-- B5pc-H  
| | | | |-- B5pc-UCS2  
| | | | |-- B5pc-UCS2C  
| | | | |-- B5pc-V  
| | | | |-- B5-V  
| | | | |-- CNS01-RKSJ-H  
  
| | | | |-- CNS02-RKSJ-H  
| | | | |-- CNS03-RKSJ-H  
| | | | |-- CNS04-RKSJ-H  
| | | | |-- CNS05-RKSJ-H  
| | | | |-- CNS06-RKSJ-H  
| | | | |-- CNS07-RKSJ-H  
| | | | |-- CNS15-RKSJ-H  
| | | | |-- CNS1-H  
| | | | |-- CNS1-V  
| | | | |-- CNS2-H  
| | | | |-- CNS2-V  
| | | | |-- CNS-EUC-H  
| | | | |-- CNS-EUC-V  
| | | | |-- ETen-B5-H  
| | | | |-- ETen-B5-UCS2  
| | | | |-- ETen-B5-V  
| | | | |-- ETenms-B5-H  
| | | | |-- ETenms-B5-V  
| | | | |-- ETHK-B5-H  
| | | | |-- ETHK-B5-V  
| | | | |-- EUC-H  
| | | | |-- EUC-V  
| | | | |-- Ext-H  
| | | | |-- Ext-RKSJ-H  
| | | | |-- Ext-RKSJ-V  
| | | | |-- Ext-V  
| | | | |-- GB-EUC-H



| | | | |-- GB-EUC-V  
| | | | |-- GB-H  
| | | | |-- GBK2K-H  
| | | | |-- GBK2K-V  
| | | | |-- GBK-EUC-H  
| | | | |-- GBK-EUC-UCS2  
| | | | |-- GBK-EUC-V  
| | | | |-- GBKp-EUC-H  
| | | | |-- GBKp-EUC-V  
| | | | |-- GBpc-EUC-H  
| | | | |-- GBpc-EUC-UCS2  
| | | | |-- GBpc-EUC-UCS2C  
| | | | |-- GBpc-EUC-V  
| | | | |-- GB-RKSJ-H  
| | | | |-- GBT-EUC-H  
| | | | |-- GBT-EUC-V  
| | | | |-- GBT-H  
| | | | |-- GBTpc-EUC-H  
| | | | |-- GBTpc-EUC-V  
| | | | |-- GBT-RKSJ-H  
| | | | |-- GBT-V  
| | | | |-- GB-V  
| | | | |-- H  
| | | | |-- Hankaku  
| | | | |-- Hiragana  
| | | | |-- HKdla-B5-H  
| | | | |-- HKdla-B5-V  
| | | | |-- HKdlb-B5-H  
| | | | |-- HKdlb-B5-V  
| | | | |-- HKgccs-B5-H  
| | | | |-- HKgccs-B5-V  
| | | | |-- HKm314-B5-H  
| | | | |-- HKm314-B5-V  
| | | | |-- HKm471-B5-H  
| | | | |-- HKm471-B5-V  
| | | | |-- HK-RKSJ-H  
| | | | |-- HKscs-B5-H  
| | | | |-- HKscs-B5-V  
| | | | |-- Hojo-EUC-H  
| | | | |-- Hojo-EUC-V  
| | | | |-- Hojo-H  
| | | | |-- Hojo-RKSJ-H  
| | | | |-- Hojo-V  
| | | | |-- Identity-H  
| | | | |-- Identity-UTF16-H  
| | | | |-- Identity-UTF16-V  
| | | | |-- Identity-V  
| | | | |-- Katakana  
| | | | |-- KSC2-RKSJ-H  
| | | | |-- KSC-EUC-H  
| | | | |-- KSC-EUC-V  
| | | | |-- KSC-H

| | | | |-- KSC-Johab-H  
| | | | |-- KSC-Johab-V  
| | | | |-- KSCms-UHC-H  
| | | | |-- KSCms-UHC-HW-H  
| | | | |-- KSCms-UHC-HW-V  
| | | | |-- KSCms-UHC-UCS2  
| | | | |-- KSCms-UHC-V  
| | | | |-- KSCpc-EUC-H  
| | | | |-- KSCpc-EUC-UCS2  
| | | | |-- KSCpc-EUC-UCS2C  
| | | | |-- KSCpc-EUC-V  
| | | | |-- KSC-RKSJ-H  
| | | | |-- KSC-V  
| | | | |-- NWP-H  
| | | | |-- NWP-V  
| | | | |-- RKSJ-H  
| | | | |-- RKSJ-V  
| | | | |-- Roman  
| | | | |-- TCVN-RKSJ-H  
| | | | |-- UCS2-90ms-RKSJ  
| | | | |-- UCS2-90pv-RKSJ  
| | | | |-- UCS2-B5pc  
| | | | |-- UCS2-ETen-B5  
| | | | |-- UCS2-GBK-EUC  
| | | | |-- UCS2-GBpc-EUC  
| | | | |-- UCS2-KSCms-UHC  
| | | | |-- UCS2-KSCpc-EUC  
| | | | |-- UniCNS-UCS2-H  
| | | | |-- UniCNS-UCS2-V  
| | | | |-- UniCNS-UTF16-H  
| | | | |-- UniCNS-UTF16-V  
| | | | |-- UniCNS-UTF32-H  
| | | | |-- UniCNS-UTF32-V  
| | | | |-- UniCNS-UTF8-H  
| | | | |-- UniCNS-UTF8-V  
| | | | |-- UniGB-UCS2-H  
| | | | |-- UniGB-UCS2-V  
| | | | |-- UniGB-UTF16-H  
| | | | |-- UniGB-UTF16-V  
| | | | |-- UniGB-UTF32-H  
| | | | |-- UniGB-UTF32-V  
| | | | |-- UniGB-UTF8-H  
| | | | |-- UniGB-UTF8-V  
| | | | |-- UniHojo-UCS2-H  
| | | | |-- UniHojo-UCS2-V  
| | | | |-- UniHojo-UTF16-H  
| | | | |-- UniHojo-UTF16-V  
| | | | |-- UniHojo-UTF32-H  
| | | | |-- UniHojo-UTF32-V  
| | | | |-- UniHojo-UTF8-H  
| | | | |-- UniHojo-UTF8-V  
| | | | |-- UniJIS2004-UTF16-H

```
| | | | |-- UniJIS2004-UTF16-V
| | | | |-- UniJIS2004-UTF32-H
| | | | |-- UniJIS2004-UTF32-V
| | | | |-- UniJIS2004-UTF8-H
| | | | |-- UniJIS2004-UTF8-V
| | | | |-- UniJISPro-UCS2-HW-V
| | | | |-- UniJISPro-UCS2-V
| | | | |-- UniJISPro-UTF8-V
| | | | |-- UniJIS-UCS2-H
| | | | |-- UniJIS-UCS2-HW-H
| | | | |-- UniJIS-UCS2-HW-V
| | | | |-- UniJIS-UCS2-V
| | | | |-- UniJIS-UTF16-H
| | | | |-- UniJIS-UTF16-V
| | | | |-- UniJIS-UTF32-H
| | | | |-- UniJIS-UTF32-V
| | | | |-- UniJIS-UTF8-H
| | | | |-- UniJIS-UTF8-V
| | | | |-- UniJISX02132004-UTF32-H
| | | | |-- UniJISX02132004-UTF32-V
| | | | |-- UniJISX0213-UTF32-H
| | | | |-- UniJISX0213-UTF32-V
| | | | |-- UniKS-UCS2-H
| | | | |-- UniKS-UCS2-V
| | | | |-- UniKS-UTF16-H
| | | | |-- UniKS-UTF16-V
| | | | |-- UniKS-UTF32-H
| | | | |-- UniKS-UTF32-V
| | | | |-- UniKS-UTF8-H
| | | | |-- UniKS-UTF8-V
| | | | |-- V
| | | | `-- WP-Symbol
|-- ColorSpace
| | | | |-- DefaultCMYK
| | | | |-- DefaultGray
| | | | |-- DefaultRGB
| | | | `-- TrivialCMYK
|-- Decoding
| | | | |-- FCO_Dingbats
| | | | |-- FCO_Symbol
| | | | |-- FCO_Unicode
| | | | |-- FCO_Wingdings
| | | | |-- Latin1
| | | | |-- StandardEncoding
| | | | `-- Unicode
|-- Encoding
| | | | `-- Wingdings
|-- Font
| | | | |-- CenturySchL-Bold
| | | | |-- CenturySchL-BoldItal
| | | | |-- CenturySchL-Ital
| | | | |-- CenturySchL-Roma
```

```
| | | | |-- Dingbats
| | | | |-- NimbusMonL-Bold
| | | | |-- NimbusMonL-BoldObli
| | | | |-- NimbusMonL-Regu
| | | | |-- NimbusMonL-ReguObli
| | | | |-- NimbusRomNo9L-Medi
| | | | |-- NimbusRomNo9L-MediItal
| | | | |-- NimbusRomNo9L-Regu
| | | | |-- NimbusRomNo9L-ReguItal
| | | | |-- NimbusSanL-Bold
| | | | |-- NimbusSanL-BoldCond
| | | | |-- NimbusSanL-BoldCondItal
| | | | |-- NimbusSanL-BoldItal
| | | | |-- NimbusSanL-Regu
| | | | |-- NimbusSanL-ReguCond
| | | | |-- NimbusSanL-ReguCondItal
| | | | |-- NimbusSanL-ReguItal
| | | | |-- StandardSymL
| | | | |-- URWBookmanL-DemiBold
| | | | |-- URWBookmanL-DemiBoldItal
| | | | |-- URWBookmanL-Ligh
| | | | |-- URWBookmanL-LighItal
| | | | |-- URWChanceryL-MediItal
| | | | |-- URWGothicL-Book
| | | | |-- URWGothicL-BookObli
| | | | |-- URWGothicL-Demi
| | | | |-- URWGothicL-DemiObli
| | | | |-- URWPalladioL-Bold
| | | | |-- URWPalladioL-BoldItal
| | | | |-- URWPalladioL-Ital
| | | | `-- URWPalladioL-Roma
|-- Init
| | | | |-- cidfmap
| | | | |-- FCOfontmap-PCLPS2
| | | | |-- Fontmap
| | | | |-- Fontmap.GS
| | | | |-- gs_agl.ps
| | | | |-- gs_btogn.ps
| | | | |-- gs_cet.ps
| | | | |-- gs_cff.ps
| | | | |-- gs_cidcm.ps
| | | | |-- gs_ciddc.ps
| | | | |-- gs_cidfm.ps
| | | | |-- gs_cidfn.ps
| | | | |-- gs_cidtt.ps
| | | | |-- gs_cmap.ps
| | | | |-- gs_cspace.ps
| | | | |-- gs_css_e.ps
| | | | |-- gs_dbt_e.ps
| | | | |-- gs_diskf.ps
| | | | |-- gs_diskn.ps
| | | | |-- gs_dpnxt.ps
```

```
| | | | |-- gs_dps1.ps
| | | | |-- gs_dps2.ps
| | | | |-- gs_dps.ps
| | | | |-- gs_dscp.ps
| | | | |-- gs_epsf.ps
| | | | |-- gs_fapi.ps
| | | | |-- gs_fntem.ps
| | | | |-- gs_fonts.ps
| | | | |-- gs_frsd.ps
| | | | |-- gs_icc.ps
| | | | |-- gs_ill_e.ps
| | | | |-- gs_img.ps
| | | | |-- gs_init.ps
| | | | |-- gs_l2img.ps
| | | | |-- gs_lev2.ps
| | | | |-- gs_ll3.ps
| | | | |-- gs_mex_e.ps
| | | | |-- gs_mgl_e.ps
| | | | |-- gs_mro_e.ps
| | | | |-- gs_pdf_e.ps
| | | | |-- gs_pdfwr.ps
| | | | |-- gs_resmp.ps
| | | | |-- gs_res.ps
| | | | |-- gs_setpd.ps
| | | | |-- gs_statd.ps
| | | | |-- gs_std_e.ps
| | | | |-- gs_sym_e.ps
| | | | |-- gs_trap.ps
| | | | |-- gs_ttf.ps
| | | | |-- gs_typ32.ps
| | | | |-- gs_typ42.ps
| | | | |-- gs_type1.ps
| | | | |-- gs_wan_e.ps
| | | | |-- opdfread.ps
| | | | |-- pdf_base.ps
| | | | |-- pdf_cslayer.ps
| | | | |-- pdf_draw.ps
| | | | |-- pdf_font.ps
| | | | |-- pdf_main.ps
| | | | |-- pdf_ops.ps
| | | | |-- pdf_rld.ps
| | | | |-- pdf_sec.ps
| | | | `-- xlatmap
| | | `-- SubstCID
| | | | |-- CNS1-WMode
| | | | |-- GB1-WMode
| | | | |-- Japan1-WMode
| | | | `-- Korea1-WMode
| | |-- toolbin
| | | |-- afmutil.py
| | | |-- bughunt.sh
| | | |-- bugsByEngineer.pl
```

```
| | | |-- clusterpush.sh
| | | |-- drawafm.ps
| | | |-- encs2c.ps
| | | |-- errlist.tcl
| | | |-- genfontmap.ps
| | | |-- gen_ldf_jb2.py
| | | |-- GenSubstCID.ps
| | | |-- gsmake
| | | |-- gsmake.tcl
| | | |-- headers.tcl
| | | |-- jpxtopdf.c
| | | |-- leaks.tcl
| | | |-- makehist.tcl
| | | |-- memory.py
| | | |-- msvcxml.bat
| | | |-- ocheck.py
| | | |-- pdfinflt.ps
| | | |-- pdf_info.ps
| | | |-- precheck.tcl
| | |
| | |-- pre.chk
| | | |-- pre.tcl
| | | |-- pscet_status.pl
| | | |-- python
| | | |-- search
| | | |-- `-- README
| | | |-- search-svn-revs
| | | |-- smoke.ps
| | | |-- split_changelog.py
| | | |-- suite.tcl
| | | |-- testfiles
| | | |-- tests
| | | | |-- build_revision.py
| | | | |-- check_all.py
| | | | |-- check_comments.py
| | | | |-- check_dirs.py
| | | | |-- check_docrefs.py
| | | | |-- check_source.py
| | | | |-- cmpi.py
| | | | |-- collate.py
| | | | |-- compare_checksumdb.py
| | | | |-- compare_checksums.py
| | | | |-- dump_checksum_plus.py
| | | | |-- dump_checksum.py
| | | | |-- dump_checksum_raw.py
| | | | |-- find_unique_file.py
| | | | |-- fuzzy.c
| | | | |-- get_baseline_log.py
| | | | |-- get_baselines.py
| | | | |-- gscheck_all.py
| | | | |-- gscheck_fuzzypdf.py
| | | | |-- gscheck_pdfwrite.py
```

```
| | | | |-- gscheck_raster.py
| | | | |-- gscheck_testfiles.py
| | | | |-- gsconf.py
| | | | |-- gsparamsets.py
| | | | |-- gssum.py
| | | | |-- gstestgs.py
| | | | |-- gstestutils.py
| | | | |-- gsutil.py
| | | | |-- gsvalidate.py
| | | | |-- main.py
| | | | |-- make_baselinedb.py
| | | | |-- make_testdb.py
| | | | |-- make_two_pdfversions
| | | | |-- make_two_versions
| | | | |-- myoptparse.py
| | | | |-- rasterdb.py
| | | | |-- README
| | | | |-- regen_baseline.py
| | | | |-- regen_filelist.py
| | | | |-- revert_baseline
| | | | |-- revert_pdfbaseline
| | | | |-- run_nightly
| | | | |-- run_nightly.py
| | | | |-- run_parallel
| | | | |-- run_regression.py
| | | | |-- run_series.py
| | | | |-- testdiff.py
| | | | |-- testing.cfg.example
| | | | |-- update_baseline.py
| | | | |-- updatelistpdf.py
| | | | |-- updatelist.py
| | | | |-- update_specific
| | | | `-- validate.py
| | | |-- tmake.tcl
| | | |-- vg_bugs.supp
| | | `-- vg_okay.supp
|-- zlib
| |-- adler32.c
| |-- algorithm.txt
| |-- amiga
| | |-- Makefile.pup
| | `-- Makefile.sas
|-- as400
| |-- bndsrc
| |-- compile.clp
| |-- readme.txt
| `-- zlib.inc
|-- ChangeLog
|-- compress.c
|-- configure
|-- contrib
| |-- ada
```

```
| | | | |-- buffer_demo.adb
| | | | |-- mtest.adb
| | | | |-- read.adb
| | | | |-- readme.txt
| | | | |-- test.adb
| | | | |-- zlib.adb
| | | | |-- zlib.ads
| | | | |-- zlib.gpr
| | | | |-- zlib-streams.adb
| | | | |-- zlib-streams.ads
| | | | |-- zlib-thin.adb
| | | | `-- zlib-thin.ads
|-- asm586
| | |-- match.S
| | `-- README.586
|-- asm686
| | |-- match.S
| | `-- README.686
|-- blast
| | |-- blast.c
| | |-- blast.h
| | |-- Makefile
| | |-- README
| | |-- test.pk
| | `-- test.txt
|-- delphi
| | |-- readme.txt
| | |-- ZLibConst.pas
| | |-- zlibd32.mak
| | `-- ZLib.pas
|-- dotzlib
| | |-- DotZLib
| | | |-- AssemblyInfo.cs
| | | |-- ChecksumImpl.cs
| | | |-- CircularBuffer.cs
| | | |-- CodecBase.cs
| | | |-- Deflater.cs
| | | |-- DotZLib.cs
| | | |-- DotZLib.csproj
| | | |-- GZipStream.cs
| | | |-- Inflater.cs
| | | `-- UnitTests.cs
| | |-- DotZLib.build
| | |-- DotZLib.chm
| | |-- DotZLib.sln
| | |-- LICENSE_1_0.txt
| | `-- readme.txt
|-- infback9
| | |-- infback9.c
| | |-- infback9.h
| | |-- inffix9.h
| | |-- inflate9.h
```





```
| | |-- zip.c
| | `-- zip.h
|-- pascal
| | |-- example.pas
| | |-- readme.txt
| | |-- zlib32.mak
| | `-- zlibpas.pas
|-- puff
| | |-- Makefile
| | |-- puff.c
| | |-- puff.h
| | |-- README
| | `-- zeros.raw
|-- README.contrib
|-- testzlib
| | |-- testzlib.c
| | `-- testzlib.txt
|-- untgz
| | |-- Makefile
| | |-- Makefile.msc
| | `-- untgz.c
`-- vstudio
    |-- readme.txt
    |-- vc7
    | | |-- miniunz.vcproj
    | | |-- minizip.vcproj
    | | |-- testzlib.vcproj
    | | |-- zlib.rc
    | | |-- zlibstat.vcproj
    | | |-- zlibvc.def
    | | |-- zlibvc.sln
    | | `-- zlibvc.vcproj
    `-- vc8
        |-- miniunz.vcproj
        |-- minizip.vcproj
        |-- testzlibdll.vcproj
        |-- testzlib.vcproj
        |-- zlib.rc
        |-- zlibstat.vcproj
        |-- zlibvc.def
        |-- zlibvc.sln
        `-- zlibvc.vcproj
|-- crc32.c
|-- crc32.h
|-- deflate.c
|-- deflate.h
|-- example.c
|-- examples
| | |-- fitblk.c
| | |-- gun.c
| | |-- gzappend.c
| | |-- gzjoin.c
```



```
| | | |-- Makefile.bor
| | | |-- Makefile.emx
| | | |-- Makefile.gcc
| | | |-- Makefile.msc
| | | |-- VisualC.txt
| | | |-- zlib1.rc
| | | `-- zlib.def
| | |-- zconf.h
| | |-- zconf.in.h
| | |-- zlib.3
| | |-- zlib.h
| |
|-- zutil.c
| | `-- zutil.h
|-- LaserSFXPCL6-1.0.0-linux-3.2-intel.tar.gz
|-- linux
| `-- install
| | |-- CO
| | |-- gspcl6-sff
| | |-- LaserSFF-SFL-PCL6-2.4.PPD
| | |-- LaserSFF-SFL-PCL6-2.6.PPD
| | |-- LaserSFF-SFL-PCL6.PPD
| | |-- LaserSFXPCL6.list
| | |-- RE
| | |-- README
| | |-- setup.gif
| | `-- sffpclfilter
|-- mac
| |-- Detector
| | |-- DetectConflict.c
| | |-- DetectConflict.h
| | |-- DetectConflict_pcl.c
| | |-- makefile
| | `-- readme.txt
|-- files
| |-- detect_pagesize.pl
| |-- foomatic-rip
| |-- LaserSFF-SFL-PCL6.PPD
| |-- PrinterMonitor
| | |-- PrinterMonitor
| | `-- StartupParameters.plist
| |-- readps_add.pl
| |-- readps.pl
| `-- sfxpclfilter
|-- PDE
| |-- Font
| | |-- Font.c
| | |-- Font.h
| | |-- Info_Font.plist
| | `-- Resources
| | `-- English.lproj
| | | |-- Font.nib
```



```
| | |-- 2.6
| | | |-- 99-sfx.rules
| | | |-- co
| | | |-- oem.gif
| | | |-- re
| | | |-- scanimage
| | | |-- ScannerSFX.list
| | | |-- scantosff
| | | `-- sfx.conf
| |-- mac
| | |-- resources
| | | |-- background.gif
| | | `-- en.lproj
| | | `-- License.rtf
| | `-- scripts
| | `-- postflight
|-- Makefile
|-- net.c
|-- oem.c
|-- oem.h
|-- opt.c
|-- opt.h
|-- pch.c
|-- pch.h
|-- sane-sdk
| |-- linux
| | |-- 2.4
| | | |-- include
| | | | |-- lalloca.h
| | | | `-- sane
| | | | |-- config.h
| | | | |-- config.h.in
| | | | |-- sane.h
| | | | |-- sanei_ab306.h
| | | | |-- sanei_access.h
| | | | |-- sanei_auth.h
| | | | |-- sanei_backend.h
| | | | |-- sanei_cderror.h
| | | | |-- sanei_codec_ascii.h
| | | | |-- sanei_codec_bin.h
| | | | |-- sanei_config.h
| | | | |-- sanei_debug.h
| | | | |-- sanei.h
| | | | |-- sanei_jinclude.h
| | | | |-- sanei_jpeg.h
| | | | |-- sanei_lm983x.h
| | | | |-- sanei_net.h
| | | | |-- sanei_pa4s2.h
| | | | |-- sanei_pio.h
| | | | |-- sanei_pp.h
| | | | |-- sanei_pv8630.h
| | | | |-- sanei_scsi.h
```



```
| | | |-- sane.h
| | | |-- sanei_ab306.h
| | | |-- sanei_access.h
| | | |-- sanei_auth.h
| | | |-- sanei_backend.h
| | | |-- sanei_cderror.h
| | | |-- sanei_codec_ascii.h
| | | |-- sanei_codec_bin.h
| | | |-- sanei_config.h
| | | |-- sanei_debug.h
| | | |-- sanei.h
| | | |-- sanei_include.h
| | | |-- sanei_jpeg.h
| | | |-- sanei_lm983x.h
| | | |-- sanei_net.h
| | | |-- sanei_pa4s2.h
| | | |-- sanei_pio.h
| | | |-- sanei_pp.h
| | | |-- sanei_pv8630.h
| | | |-- sanei_scsi.h
| | | |-- sanei_thread.h
| | | |-- sanei_usb.h
| | | |-- sanei_wire.h
| | | `-- saneopts.h
| | |-- lib
| | | |-- liblib.a
| | | |-- libsane.a
| | | `-- libsanei.a
| | `-- src
| | `-- Makefile-nolibtool
|-- scanner.c
|-- scanner.h
|-- ScannerSFX-1.0.1-linux-3.2-intel.tar.gz
|-- scanto.c
|-- server.c
|-- server.h
|-- sfx.c
|-- sfx.conf
|-- sfxd.c
|-- sfx.h
|-- test.c
|-- test-sfx.c
`-- usb.c
|-- tools-makefile
`-- Uninstall.sh
```